

PROPERTY ADDRESS:	2301 86TH STREET EAST, BLOOMINGTON, MN 55425
PROPERTY AREA:	162,624 S.F. (3.73 AC), PER SURVEY
PROPERTY OWNER:	CITY OF BLOOMINGTON
EXISTING ZONING:	R-1, RESIDENTIAL (NON-RESIDENTIAL)
PROPOSED ZONING:	R-1, RESIDENTIAL
FIRE STATION BUILDING TOTAL:	30,165 S.F.
2ND FLOOR	8,067 S.F.
1ST FLOOR	22,098 S.F.
FLOOR AREA RATIO (FAR) - REQUIRED:	0.25
FLOOR AREA RATIO (FAR) - PROVIDED:	0.19 (30,165 / 162,624)
BUILDING COVERAGE MAXIMUM:	20%
BUILDING COVERAGE PROVIDED:	13.6% (22,098 / 162,624)
BUILDING HEIGHT MAXIMUM:	40'
BUILDING HEIGHT PROVIDED:	38'
BUILDING SETBACKS:	
FRONT/ROW:	50'
SIDE:	20' OR BUILDING HEIGHT (LARGER NUMBER)
REAR:	30'
IMPERVIOUS SURFACE - EXISTING:	3,642 S.F. (2.1%)
PERVIOUS SURFACE - EXISTING:	171,547 S.F. (97.9%)
IMPERVIOUS SURFACE - PROPOSED:	80,423 S.F. (50.5%)
PERVIOUS SURFACE - PROPOSED:	80,201 S.F. (49.5%)
PARKING REQUIRED:	38 SPACES (30 TRAINING, 8 DORM)
PARKING PROVIDED:	46 SPACES (INCLUDING 8 PORM OF PARKING AND 2 ACCESSIBLE)
PARKING SIZE REQUIRED/PROVIDED:	9' WIDE x 18' DEEP, 24' DRIVE AISLE (25' DRIVE AISLE PROVIDED)
PARKING SETBACK:	
STREET:	20'
INTERNAL SIDE:	5'

	PROPERTY LINE
	SETBACK LINES
	CONSTRUCTION LIMITS
	B612 CONCRETE CURB AND GUTTER
	CONCRETE WHEEL STOP
	LIGHT POLE AND LUMINAIRE
	BITUMINOUS PAVEMENT (HEAVY-DUTY)
	BITUMINOUS PAVEMENT (LIGHT-DUTY)
	BITUMINOUS TRAIL
	CONCRETE PAVEMENT (HEAVY-DUTY)
	CONCRETE SIDEWALK

**APPROVED  
ZONING REVIEW ONLY  
NMJ 04/02/2019**

- ① TAPER CURB HEIGHT FROM 6" TO 0" IN 5'-0"
- ② TAPER CURB HEIGHT FROM 6" TO 0" IN 6'-0"
- ③ TAPER CURB HEIGHT FROM 6" TO 0" IN 9'-0"
- ④ TAPER CURB HEIGHT FROM 6" TO 0" IN 10'-0"
- ⑤ TAPER CURB TYPE FROM B612 TO D412 IN 5'-0"
- ⑥ BID ALTERNATE NO. 3  
~~DELETE ONE BUILDING APPARATUS BAY~~  
BASE BID TO INCLUDE ALL SIX APPARATUS BAYS AS SHOWN. BID ALTERNATE (DEDUCT) TO INCLUDE ALL COSTS ASSOCIATED WITH DELETED ON APPARATUS BAY (SEE ARCH PLANS) FOR A TOTAL OF FIVE, AND ALL REVISED SITE WORK TO ACCOMMODATE. SITE WORK TO INCLUDE CONCRETE PAVEMENT TO BUILDING/TRASH DOORS AND GROUND COVER (LANDSCAPE ROCK MULCH OR AS APPROVED BY OWNER) AT REMAINING LANDSCAPE AREAS
- ⑦ BID ALTERNATE NO. 6  
~~DYNAMIC DISPLAY~~ GROUND SIGN  
BASE BID TO INCLUDE SIGN (SEE ARCH PLANS) AS SHOWN. BID ALTERNATE (DEDUCT) TO DELETE SIGN AND POWER (SEE ARCH PLANS), RETAINING ELECTRICAL CONDUIT FROM BUILDING TO SIGN LOCATION

1. BACKGROUND INFORMATION, SEE SURVEY.	STANDARDS.
2. REFER TO BOUNDARY SURVEY FOR LOT BEARINGS, DIMENSIONS AND AREAS.	8. BITUMINOUS PAVEMENT AND CONCRETE SECTIONS TO BE IN ACCORDANCE WITH THE RECOMMENDATIONS OF THE GEOTECHNICAL ENGINEER. PAVEMENT AND IMPROVEMENTS TO FOLLOW ALL ADA REQUIREMENTS FOR ACCESSIBILITY, INCLUDING SLOPE. CONTACT ENGINEER IMMEDIATELY INVOLVING ANY DISCREPANCIES.
3. ALL DIMENSIONS ARE TO FACE OF CURB, EDGE OF CONCRETE, OR EXTERIOR FACE OF BUILDING UNLESS OTHERWISE NOTED.	9. CONTRACTOR SHALL MAINTAIN FULL ACCESS TO ADJACENT PROPERTIES DURING CONSTRUCTION AND TAKE ALL PRECAUTIONS NECESSARY TO AVOID PROPERTY DAMAGE TO ADJACENT PROPERTIES.
4. REFER TO ARCHITECTURAL/STRUCTURAL PLANS FOR EXACT BUILDING DIMENSIONS AND LOCATIONS OF EXITS, RAMPS, TRUCK DOCKS, STRUCTURAL STOOPS AND APRONS.	10. SITE LIGHTING SHOWN ON PLAN IS FOR REFERENCE ONLY. REFER TO LIGHTING PLAN PREPARED BY OTHERS FOR SITE LIGHTING DETAILS AND PHOTOMETRICS.
5. ALL CURB RADIi SHALL BE 5.0 FEET (TO FACE OF CURB) UNLESS OTHERWISE NOTED.	11. COORDINATE WORK WITH OLD SHAKOPEE ROAD IMPROVEMENTS (BY OTHERS). PROVIDE TEMPORARY CONDITIONS, AS REQUIRED.
6. ALL CURB AND GUTTER SHALL BE B612 UNLESS OTHERWISE NOTED.	12. ALL WORK WITHIN HENNEPIN COUNTY ROW (EAST OLD SHAKOPEE ROAD) WILL REQUIRE HENNEPIN COUNTY ROW/UTILITY PERMIT.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND MAINTAINING TRAFFIC CONTROL DEVICES SUCH AS BARRICADES, WARNING SIGNS, DIRECTIONAL SIGNS, FLAGGERS, AND LIGHTS TO CONTROL THE MOVEMENT OF TRAFFIC WHERE NECESSARY. PLACEMENT OF THESE DEVICES SHALL BE APPROVED BY THE CITY PRIOR TO	

- ASSUMED CONCRETE PAVEMENT SECTION: 8" CONCRETE OVER 4" CLASS 5 AGGREGATE BASE.
- ASSUMED LIGHT-DUTY BITUMINOUS PAVEMENT SECTION: 3.5" BITUMINOUS OVER 6" CLASS 5 AGGREGATE BASE
- ASSUMED HEAVY-DUTY BITUMINOUS PAVEMENT SECTION: 4" BITUMINOUS OVER 6" CLASS 5 AGGREGATE BASE.
- COORDINATE MULTI-USE TRAIL WITH CITY STREET IMPROVEMENTS.

1. ALL TRAFFIC SIGNS, PAVEMENT MARKINGS, AND OTHER TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE STANDARDS OF THE MINNESOTA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MNMUTCD).
2. PARKING LOT STRIPING SHALL BE 4" WIDE COLOR WHITE, TWO COATS OF PAINT. CONTRACTOR SHALL PAINT ANY/ALL DIRECTIONAL TRAFFIC ARROWS AS SHOWN IN WHITE (TWO COATS).
3. ACCESSIBLE PARKING PROVIDED PER ADA CODE. CONTRACTOR SHALL PAINT THE INTERNATIONAL SYMBOL OF ACCESSIBILITY IN EACH DESIGNATED ACCESSIBLE STALL IN BLUE BACKGROUND WITH WHITE BORDER (TWO COATS OF PAINT). CONTRACTOR SHALL PAINT THE WORDS "NO PARKING" IN EACH ACCESSIBLE ISLE ADJACENT TO AN ACCESSIBLE SPACE IN WHITE LETTERS MINIMUM 12" IN HEIGHT.
4. ALL SIGNS SHALL INCLUDE POST, CONCRETE FOOTING AND CASING WHERE REQUIRED. CONCRETE CASING REQUIRED IN LOCATIONS WHERE POST IS NOT PROTECTED BY CURB.
5. ALL STOP SIGNS SHALL INCLUDE A 12" WIDE PAINTED STOP BAR IN WHITE PAINT (TWO COATS) PLACED AT THE STOP SIGN LOCATION, A MINIMUM OF 4' FROM CROSSWALK. ALL STOP BARS SHALL EXTEND FROM DIRECTIONAL TRANSITION BETWEEN LANES TO THE CURB.
6. ALL SIGNS SHALL BE PLACED 18" BEHIND THE BACK OF CURB UNLESS OTHERWISE NOTED.

TOP NUT OF HYDRANT ON THE SOUTH SIDE  
OF EAST 86TH STREET AT THE NORTHEAST  
CORNER OF THE PROPERTY  
ELEV. = 807.39 (NAVD 88)  
ELEV. = 807.21 (NGVD 29)



**Bloomington  
Fire Station #3**

**BID SET**

Wendel WD Architecture, Engineering,  
Surveying and Landscape Architecture P.C.



**Five Bugles Design**

ARCHITECT

**WENDE**  
 ROBERT KRZYZANOWSKI, PROGRAM MANAGER  
 STEVE GAUSMAN, AIA  
 BUILDING 004, SUITE 202  
 MAILBOX 2  
 800 WISCONSIN STREET  
 EAU CLAIRE, WI 54703  
 715.832.4848  
[rkryzanowski@fivebuglesdesign.com](mailto:rkryzanowski@fivebuglesdesign.com)

CIVIL ENGINEER / LANDSCAPE ARCHITECT

SRF CONSULTING GROUP, INC  
MICHAEL MCGARVEY, ASLA, PLA  
ONE CARLSON PARKWAY NORTH  
SUITE 150  
MINNEAPOLIS, MN 55447  
783.475.0010  
mmgarvey@srfconsulting.com

**STRUCTURAL**  
NORTHLAND CONSULTING ENGINEERS, LLC  
TOM RINES, PE  
102 SOUTH 21st AVENUE WEST, SUITE 1  
DULUTH, MN 55808  
218.727.5985  
Tom@nce-duluth.com

PLUMBING, FIRE PROTECTION & HVAC

MEP ASSOCIATES, LLC  
TIM COACH, DES  
2720 ARBOR CT SUITE A  
EAU CLAIRE, WI 54701  
715.832.5850  
TimC@meassociates.com

**ELECTRICAL**  
MEP ASSOCIATES, LLC  
TONY RONGSTAD, PE  
2720 ARBOR CT SUITE A  
EAU CLAIRE, WI 54701  
715.832.5680  
TonyR@meassociates.com

INTERIORS  
LZ DESIGNS  
LAURIE ZADRA  
2219 LAKESHORE DRIVE  
RICE LAKE, WI 54868  
715.651.7778  
lizardra@LZDINT.com




1 CARLSON PARKWAY NORTH  
SUITE 150  
MINNEAPOLIS, MN, 55447  
763.475.0010  
WWW.SRFCONSULTING.COM

hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

SIGNATURE: Michael C. Aaron  
MICHAEL C. AARON  
Date 02-28-2019 License # 25721

**NOTE:**  
THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF THE ARCHITECT AND ENGINEER AND IS NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT AND ENGINEER. UNAUTHORIZED ALTERATION OR ADDITION TO ANY SURVEY, DRAWING, DESIGN, SPECIFICATION, PLAN OR REPORT IS PROHIBITED IN ACCORDANCE WITH STATE LAW, CODE AND RULES.

No.	REVISIONS	DATE



DATE	02-28-2019
SCALE	
DWN.	CHK.
PROJ. No.	484401 (SRF 10931.00)
DWG. No.	

C2-0