
2 WALL SECTION - EXISTING



WALL SECTION - NEW PILASTER

Five Below

118 E. 26th Street

Suite 300 Minneapolis, MN 55404 P:612-879-8225 F:612-879-8152

www.tanek.com

Exterior Entry
Suite 620
Southtown Center
Bloomington, MN 55431

PREFINISHED METAL CAP WITH DRIP PREFINISHED METAL CAP WITH DRIP EDGES AND CONT. KEEPERS. FIELD EDGES AND CONT. KEEPERS. FIELD MATCH SLOPES OF ADJACENT. MATCH SLOPES OF ADJACENT. SIGN BULKHEAD CORNICE SIGN BULKHEAD CORNICE IN RELATION TO NEUTRAL PIERS. IN RELATION TO NEUTRAL PIERS. CORNICE FINISHES TO CORNICE FINISHES TO NEW PIER PROJECTION TO MATCH NEW PIER PROJECTION TO MATCH FIELD MATCH EXISTING. FIELD MATCH EXISTING. EXISTING WEST PIER. EXISTING WEST PIER ROOF PATCHING TO OCCUR WRAP ROOF MEMBRANE UP AND WRAP ROOF MEMBRANE UP AND AFTER EXTENSION OF BULKHEAD. OVER PARAPET ASSEMBLY, PROVIDE OVER PARAPET ASSEMBLY, PROVIDE FLASHING AND CANT. FLASHING AND CANT. 5/8" M.R. PLYWOOD SHEATHING OVER 3 5/8" MTL FRAMING. — 5/8" M.R. PLYWOOD SHEATHING OVER 3 5/8" MTL FRAMING. FIELD MATCH PROFILE OF FIELD MATCH PROFILE OF SEE STRUCTURAL. EXISTING TJ. MAXX CORNICE SEE STRUCTURAL. EXISTING T.J. MAXX CORNICE AND PIER CAPS. AND PIER CAPS. REMOVE EXISTING CORNICE AND FRAMING. EXPOSE BEARING CONDITION ROOF DECK AND INSULATION MAY AT ROOF TO VERIFY CONDITIONS. REQUIRE PATCH INFILL AT NEW NEUTRAL PIER FIELD VERIFY CONDITION OF EXISTING BRICK STUCCO SIGN BAND FINISH TO MATCH EXISTING PROFILE OF EXISTING REMOVE THE FAUX NEUTRAL PIER CONDITIONS. AND THE SIGN BAND FINISH AS ADJACENT. REQUIRED WHICH MAY BE ALL OR PART OF THE EXISTING BAND DEPENDING UPON CONDITION. TRIM BAND TO MATCH EXISTING. NEW FACE BRICK FACE AND EXISTING FACADE FINISHES RETURNS. FIELD YERIFY THE BRICK TIES AT 24x36 IN THE EXISTING WALL PLANE EXISTING FOR FIELD MATCH. WHERE NEW EAST PIER TO BE CONSTRUCTED. NEW NEUTRAL PIER BEYOND. AIR GAP AND BRICK TIES TO ALLOW FOR THE INSET BLOCK FEATURE. SEE PLAN DETAIL. INTERIOR WALL INTERIOR WALL FINISH NOT SHOWN. FINISH NOT SHOWN. FIELD VERIFY THE CONDITION OF THE — OLD FACE BRICK TO DETERMINE IF EXISTING STOREFRONT 5/8" EXTERIOR GYP REMOVAL IS REQUIRED. SHEATHING WITH BUILDING WRAP SUCH AS TYVEK OR SIMILAR, OVER 6005162-54 MTL STUDS AT 16" O.C MAX. NOTE: REMOVE THE BRICK ANGLE BELOW AND SAWCUT THE SIDEWALK INSTALL SPRAY APPLIED

WATERPROOFING MASTIC TO BASE EXPANDING INFILL - MATCH-AS REQUIRED FOR THE NEW NEUTRAL SITE EXISTING. AND EXISTING WALL TO 24" H. EXISTING SIDEWALK. -PIER PROJECTION. FIELD VERIFY IF EXISTING FLASHING SCORED CMU BLOCK TO REMAINS PRIOR TO WORK. MATCH EXISTING ADJACENT. PROVIDE FLASHING AND WEEPS. PROVIDE FOR NEW FOOTING PROJECTION. NEW CONCRETE FOOTING, - EXISTING FLOOR SLAB OR PIER SEE STRUCTURAL FIELD VERIFY ALL DIMENSIONS TO FIELD VERIFY ALL DIMENSIONS TO ALIGNMENT TO EXISTING. ALIGNMENT TO EXISTING.

EXTERIOR NORTH ELEVATION

WALL SECTION - DEMO AT NEW PILASTER

A200 1/8" = 1'-0"

a200

elevation, sections

B WALL SECTION - SIGN BAND CORNICE

A200 1/2" = 1'-0"

revision 04.17.2019

permit issue 02.05.2019

I hereby certify that this plan,

specification or report was prepared by me or under my direct supervision and that I am a duly licensed architect under the laws

of the state of Minnesota.

04.17.2019

as noted

kep/rdh

Kenneth E. Piper

23542