




A1

A0.1

SITE PLAN

SCALE: 1" = 20'

PL202000162

PROJECT / BUILDING NAME
Las Cuatro Milpas, Taqueria & Birrieria

JOB ADDRESS
415 East 78th Street, Bloomington, MN 55420

PROPOSED WORK - NEW / REMODELLING
Renovation of an existing restaurant including:
New roof and exterior siding
New wall and roof insulation
New interior finishes
New kitchen finishes and equipment
Repair of existing drive and parking areas
New trash / recycling enclosure

- APPLICABLE CODES
- 2020 Minnesota Building Code Administration Chapter 1300
 - 2012 International Building Code with state amendments /Chapter 1305
 - Special Fire Protection Systems/MSBC Chapter 1306
 - 2015 MN Elevator Code Chapter 1307
 - 2012 International Residential Code with state amendments/ Chapter 1309
 - 2015 MN Conservation Code For Existing Buildings Chapter 1311
 - 2012 Residential International Energy Conservation Code with state amendments/Chapter 1322
 - 2012 Commercial International Energy Conservation Code with state amendments/Chapter 1323
 - 2015 MN Accessibility Code Chapter 1341 based on ICC/ANSI A117.1 2009
 - 2015 MN Mechanical & Fuel Gas Code Chapter 1346 (2012 International Mechanical Code)
 - 2016 MN State Plumbing Code/Uniform Plumbing Code
 - 2012 International Fire Code with state amendments/Chapter 7510
 - 2017 National Electrical Code
 - Minimum Plumbing Fixtures /2012 IBC Chapter 29 as amended
 - Snow Loads/MSBC Rules 1303.1700 (Hennepin County)
 - Frost Depth/MSBC Rule 1303.1600 (Hennepin County)
 - Wind Speed/Minimum 90 MPH

OCCUPANCY GROUP OR GROUPS
Assembly A-2 (Including associated commercial kitchen)

CONSTRUCTION TYPE
TYPE VB

SPRINKLERED OR NON-SPRINKLERED OR PARTIAL
SPRINKLED

BUILDING AREA: ALLOWABLE / ACTUAL			
2012 IBC CHAPTER 5 / TABLE 506.2			
OCCUPANCY CLASSIFICATION	TYPE OF CONSTRUCTION	ALLOWABLE AREA S1 - SPRINKLED	ACTUAL HEIGHT AREA S1 - SPRINKLED
A-2	TYPE VB	6,000	3,005 GROSS SF

HEIGHT AND NUMBER OF STORIES: ALLOWED /ACTUAL			
2012 IBC CHAPTER 5 / TABLE 503			
OCCUPANCY CLASSIFICATION	TYPE OF CONSTRUCTION	ALLOWABLE HEIGHT / STORIES (SPRINKLED)	ACTUAL HEIGHT / STORIES (SPRINKLED)
A	TYPE VB	40 / 1	20 / 1

LOCATION ON PROPERTY		
2012 IBC CHAPTER 6 / TABLE 602		
LOCATION	FIRE SEPARATION DISTANCE	A-2 OCCUPANCY - REQUIRED FIRE RESISTANCE RATING
EAST WALL	5' - 10' Assumed	1 HOUR
WEST WALL	Greater than 30'	0
NORTH WALL	Greater than 30'	0
SOUTH WALL	Greater than 30'	0

MINIMUM DISTANCE OF PROJECTION FROM PROPERTY LINE
2012 IBC CHAPTER 7 / TABLE 705.2

FIRE SEPARATION DISTANCE	MINIMUM DISTANCE TO LINE ALLOWED	ACTUAL
GREATER THAN 5 FEET	40"	84"

EXTERIOR WALL AND OPENING PROTECTION: ALLOWED / ACTUAL
2012 IBC CHAPTER 7 / TABLE 705.8

FIRE SEPARATION DISTANCE	ALLOWED PROTECTED OPENINGS	ACTUAL PROTECTED OPENINGS
5' - 10' Assumed	25% OF 650 SF = 162.5 SF	24.25 SF = 3.75 SF

INDICATE IF SEPARATED OR NON-SEPARATED USE BUILDING
Non-Separated

FIRE-RESISTANCE RATING FOR BLDG. ELEMENTS
2012 IBC CHAPTER 6 / TABLE 601

BUILDING ELEMENT	TYPE VB
Structural Frame	0
Bearing Wall	
Exterior	0
Interior	0
Non-Bearing Walls and Partitions	
Exterior	0
Interior	0
Floor Construction	0
Roof Construction	0

A17

A0.1

CODE ANALYSIS

SCALE: 1/4" = 1'-0"

SEATING AND CIRCULATION	478.62	15 NET SF	31.91
	342.13	15 NET SF	22.81
	820.75	15 NET SF	54.72
STANDING - COUNTER AREA	213.63	5 NET SF	42.73
SERVICE		100 NET SF	0.00
KITCHEN	1256.13	200 GROSS SF	6.28
OFFICE	67.83	100 GROSS SF	0.68
STORAGE		300 GROSS SF	0.00
TOTAL	2358.34		104.4

NUMBER OF EXITS	
REQUIRED	ACTUAL
2	2 from dining areas / 3 from Kitchen

EXIT TRAVEL DISTANCE	
2012 IBC CHAPTER 10 / TABLE 1016.2	
OCCUPANCY	WITH SPRINKLER SYSTEM ALLOWED ACTUAL
A	250 FT

COMMON PATH OF EGRESS TRAVEL	
2012 IBC CHAPTER 10 / TABLE 1014.3	
OCCUPANCY	WITH SPRINKLER SYSTEM OCCUPANT LOAD GREATER THAN 30 ALLOWED ACTUAL
A	75 58 FT

ACCESSIBILITY	
FULL ACCESSIBILITY REQUIRED - MORE THAN 85% OF SPACE IS TO BE REMODELED	
MINIMUM PLUMBING FACILITIES	
2012 IBC CHAPTER 29 / TABLE 1016.2	
DESCRIPTION	WATER CLOSETS LAVATORIES DRINKING FOUNTAINS SERVICE SINKS
A-2 Restaurants	1 per 75 1 M / 1F 1 per 75 1 M / 1F N.A. 1

GENERAL	
A0.1	COVER SHEET
FLOOR PLANS PLANS	
A1.1	FLOOR PLAN + EXITING DIAGRAM
A1.2	FLOOR PLAN - DEMOLITION
EXTERIOR ELEVATIONS	
A2.1	EXTERIOR ELEVATIONS
A2.2	EXTERIOR ELEVATIONS
BUILDING SECTIONS	
A3.1	BUILDING SECTIONS
REFLECTED CEILING PLANS	
A4.1	REFLECTED CEILING PLANS
ENLARGED PLANS + INT. ELEVATIONS	
A5.1	ENLARGED PLANS + INT. ELEVATIONS
KITCHEN EQUIPMENT - SPECIFICATIONS	
A6.1	EQUIPMENT PLAN
A6.2	KITCHEN EQUIP. - SPECIFICATIONS
A6.3	KITCHEN EQUIP. - SPECIFICATIONS

PROJECT ARCHITECT

RAPSON

RALPH RAPSON & ASSOCIATES, INC.

2429 34th Avenue South
Minneapolis, MN 55406

T / (612) 333-4561
W / www.rapsonarchitects.com
E / info@rapsonarchitects.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Thomas Rapson

NAME: THOMAS RAPSON
MN REGISTRATION NO.: 19397
EXPIRATION DATE: 06/31/2022

STRUCTURAL ENGINEER

PROJECT

Project Title

Las Cuatro Milpas Taqueria & Birrieria

Project Address


415 78th Street East, Bloomington, MN 55420

Project Owner

James Barger, JB Holdings

#Client Address1 #Client City #Client State #Client Postcode | #Client E-mail

M. / D. / YEAR	
Review Set	08 / 05 / 2020
City Permits	08 / 06 / 2020
R1	08 / 12 / 2020
R2	09 / 10 / 2020
R3	09 / 19 / 2020
Date Printed	9/19/2020
Time	10:17 AM
DRAWN	T. RAPSON
SHEET COVER SHEET	



PROJECT ARCHITECT
RAPSON
RALPH RAPSON &
ASSOCIATES, INC.
2429 34th Avenue South
Minneapolis, MN 55406
T / (612) 333-4561
W / www.rapsonarchitects.com
E / info@rapsonarchitects.com

I HEREBY CERTIFY THAT THIS
PLAN, SPECIFICATION, OR
REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT
SUPERVISION AND THAT I AM A
DULY REGISTERED ARCHITECT
UNDER THE LAWS OF THE
STATE OF MINNESOTA.

Thomas Rapson

NAME: THOMAS RAPSON
MN REGISTRATION NO.: 19397
EXPIRATION DATE: 06/31/2022

STRUCTURAL ENGINEER

PROJECT

Las Cuatro Milpas
Taqueria & Birrieria
Project Address
415.78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 | #Client City | #Client State | #Client Postcode | 651-417-6385 | #Client E-mail

M / D / YEAR
Review Set 08 / 05 / 2020
City Permits 08 / 06 / 2020
R1 08 / 12 / 2020
R2 09 / 10 / 2020
R3 09 / 19 / 2020
Date Printed 9/19/2020
Time 10:17 AM
DRAWN T. RAPSON

SHEET
FLOOR PLAN +
EXITING DIAGRAM
A1.1

HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A FULLY REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

NAME: THOMAS RAPSON
N REGISTRATION NO.: 19397
EXPIRATION DATE: 06/31/2022

STRUCTURAL ENGINEER

PROJECT

Las Cuatro Milpas
Taqueria & Birrieria
Project Address
415 78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 | #Client City | #Client State | #Client Postcode | 651-417-6395 | #Client E-mail

./ D./YEAR

Review Set	08 / 05 / 2020
City Permits	08 / 06 / 2020
R1	08 / 12 / 2020
R2	09 / 10 / 2020
R3	09 / 19 / 2020

Printed: 9/19/2020
Time: 10:17 AM
RAWN T. RAPSON

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

A1.2



NO.	ROOM	WALL MATERIAL FINISH	WAINSCOT MATERIAL HEIGHT FINISH	BASE MATERIAL HEIGHT FINISH	FLOOR MATERIAL FINISH	CEILING MATERIAL FINISH	REMARKS
	OFFICE	CMU + GYP. BRD PAINT	N.A. N.A. N.A.	QUARRY TILE COVE T.B.D. N.A.	QUARRY TILE N.A.	GYP. BRD PAINT	(1) CONC. OR TILE - OWNER'S OPTION
	KITCHEN	FRP N.A.	N.A. N.A. N.A.	QUARRY TILE COVE T.B.D. N.A. (9)	QUARRY TILE N.A. (9)	GYP. BRD PAINT	(2) MATCH HEIGHT OF BAR STEP
	COOLER	BY COOLER MANUFACTURER (3)	N.A. N.A. N.A. (3)	N.A. N.A. N.A. (3)	N.A. N.A. (3)	N.A. N.A. (3)	(3) BY COOLER / FREEZER MANUFACTURER
	FREEZER	BY FREEZER MANUFACTURER (3)	N.A. N.A. N.A. (3)	N.A. N.A. N.A. (3)	N.A. N.A. (3)	N.A. N.A. (3)	(4) SEE SECTIONS AND INTERIOR ELEVATIONS FOR SPECIALTY FINISHES
	FRONT OF BAR AND RESTAURANT	GYP. BRD PAINT	N.A. N.A. N.A. (4)	WOOD T.B.D. T.B.D. (6)	CONC. STAIN + SEALER	SUSPENDED ACCOUSTIC TILE PANELS (7)	(5) COVE TILE BASE WITH CERAMIC TILE FLOOR OR SCHLUTER STYLE COVE WITH CONC. FLOOR
	BACK BAR + SERVICE	GYP. BRD WASHABLE PAINT	N.A. N.A. N.A.	QUARRY TILE COVE T.B.D. N.A. (8)	QUARRY TILE N.A. (8)	SUSPENDED ACCOUSTIC TILE PANELS (7)	(6) OWNER TO SELECT WOOD FINISH
	MEN'S RESTROOM	GYP. BRD PAINT	CER. TILE 48" (2) (5)	CER. TILE COVE (2) N.A. (5)	CONC. STAIN + SEALER (1)	SUSPENDED ACCOUSTIC TILE PANELS T.B.D.	(7) WASHABLE TILES - PROVIDE A SMOOTH AND CLEANABLE CEILING ABOVE ALL FOOD, FOOD STORAGE AND LINEN AREAS
	WOMEN'S RESTROOM	GYP. BRD PAINT (2)	CER. TILE 48" (2) (2)	CER. TILE COVE (2) N.A. (5)	CONC. STAIN + SEALER (2)	SUSPENDED ACCOUSTIC TILE PANELS T.B.D.	(8) REMOVE ROOF ACCESS HATCH AND LADDER
	UTILITY	NA N.A.	NA N.A. N.A.	NA N.A. N.A.	NA N.A.	NA N.A. (8)	(9) PROVIDE A MINIMUM CERAMIC, QUARRY OR TERRAZO FLOOR TILE WITH A SANITARY INTERGRAL COVE BASE TILE IN ALL FOOD PREP, PRODUCTION, HANDLING AND STORAGE AREAS. ANY ALTERNATIVE FLOORING MATERIAL MUST BE APPROVED BY THIS DIVISION PRIOR TO ANY INSTALLATION.

A14

ROOM FINISH SCHEDULE

PL202000162

PROJECT ARCHITECT

RAP

RALPH RAPSON &

ASSOCIATES, INC.

2429 34th Avenue South
Minneapolis, MN 55406

T / (612) 333-4561

W / www.rapsonarchitects.com

E / info@rapsonarchitects.com

I HEREBY CERTIFY THAT THIS
PLAN, SPECIFICATION, OR
REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT
SUPERVISION AND THAT I AM A
DULY REGISTERED ARCHITECT
UNDER THE LAWS OF THE
STATE OF MINNESOTA.

Thomas Rapson


NAME: THOMAS RAPSON

MN REGISTRATION NO.: 19397


EXPIRATION DATE: 06/31/2022

STRUCTURAL ENGINEER

PROJECT



M1
A2.1 SOUTH ELEVATION
SCALE: 1/4" = 1'-0"



A1
A2.1 WEST ELEVATION
SCALE: 1/4" = 1'-0"

Project Title
Las Cuatro Milpas
Taqueria & Birreria
Project Address
415.78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 | #Client City | #Client State | #Client Postcode | 651-417-6385 | #Client E-mail


M / D / YEAR
Review Sat 08 / 05 / 2020
City Permits 08 / 06 / 2020
R1 08 / 12 / 2020
R2 09 / 10 / 2020
R3 09 / 19 / 2020

Date Printed 9/19/2020
Time 10:17 AM
DRAWN T. RAPSON

SHEET
EXTERIOR
ELEVATIONS

A2.1


PL202000162



M1
A2.2

NORTH ELEVATION

SCALE: 1/4" = 1'-0"



A1
A2.2

EAST ELEVATION

SCALE: 1/4" = 1'-0"

PROJECT ARCHITECT

RAP

RALPH RAPSON &

ASSOCIATES, INC.

2429 34th Avenue South

Minneapolis, MN 55406

T / (612) 333-4561

W / www.rapsonarchitects.com

E / info@rapsonarchitects.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Thomas Rapson

NAME: THOMAS RAPSON

MN REGISTRATION NO.: 19397

EXPIRATION DATE: 06/31/2022

STRUCTURAL ENGINEER

PROJECT

Project Title
Las Cuatro Milpas
Taqueria & Birreria
Project Address
415.78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 #Client City #Client State #Client Postcode | 651-417-6385 | #Client E-mail

M. / D. / YEAR
Review Sat 08 / 05 / 2020
City Permits 08 / 06 / 2020
R1 08 / 12 / 2020
R2 09 / 10 / 2020
R3 09 / 19 / 2020


Date Printed 9/19/2020
Time 10:17 AM
DRAWN T. RAPSON

SHEET
EXTERIOR
ELEVATIONS


A2.2

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31


W
V
U
T
S
R
Q
P
O
N
M
L
K
J
I
H
G
F
E
D
C
B
A



P1
A3.1 BUILDING SECTION - EAST / WEST LOOKING NORTH 1
SCALE: 1/4" = 1'-0"



I1
A3.1 BUILDING SECTION - EAST / WEST LOOKING NORTH 2
SCALE: 1/4" = 1'-0"



A1
A3.1 BUILDING SECTION - NORTH / SOUTH - LOOKING EAST
SCALE: 1/4" = 1'-0"

PROJECT ARCHITECT
RAPSON
RALPH RAPSON &
ASSOCIATES, INC.
2429 34th Avenue South
Minneapolis, MN 55406
T / (612) 333-4561
W / www.rapsonarchitects.com
E / info@rapsonarchitects.com
I HEREBY CERTIFY THAT THIS
PLAN, SPECIFICATION, OR
REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT
SUPERVISION AND THAT I AM A
DULY REGISTERED ARCHITECT
UNDER THE LAWS OF THE
STATE OF MINNESOTA.
Thomas Rapson
NAME: THOMAS RAPSON
MN REGISTRATION NO.: 19397
EXPIRATION DATE: 06/31/2022
STRUCTURAL ENGINEER

PROJECT

Project Title
Las Cuatro Milpas
Taqueria & Birreria
Project Address
415.78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 | #Client City | #Client State | #Client Postcode | 651-417-6385 | #Client E-mail

M. / D. / YEAR
Review Set 08 / 05 / 2020
City Permits 08 / 06 / 2020
R1 08 / 12 / 2020
R2 09 / 10 / 2020
R3 09 / 19 / 2020
Date Printed 9/19/2020
Time 10:17 AM
DRAWN T. RAPSON

SHEET
BUILDING SECTIONS

A3.1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

W
V
U
T
S
R
Q
P
O
N
M
L
K
J
I
H
G
F
E
D
C
B
A

PL202000162


PROJECT ARCHITECT
RAPSON
RALPH RAPSON &
ASSOCIATES, INC.
2429 34th Avenue South
Minneapolis, MN 55406
T / (612) 333-4561
W / www.rapsonarchitects.com
E / info@rapsonarchitects.com

I HEREBY CERTIFY THAT THIS
PLAN, SPECIFICATION, OR
REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT
SUPERVISION AND THAT I AM A
DULY REGISTERED ARCHITECT
UNDER THE LAWS OF THE
STATE OF MINNESOTA.

Thomas Rapson

NAME: THOMAS RAPSON
MN REGISTRATION NO.: 19397
EXPIRATION DATE: 06/31/2022
STRUCTURAL ENGINEER

PROJECT



CITY OF BLOOMINGTON FIRE DEPARTMENT NOTES

SPRINKLER CONTRACTOR TO VERIFY SPRINKLER COVERAGE AND PROTECTION THROUGHOUT SPACE AND ADD, RELOCATE AND REPLACE HEADS AS NEEDED.

ALL WORK SHALL BE DONE UNDER AN APPROVED CITY OF BLOOMINGTON SPRINKLER PERMIT AND BE INSPECTED BY THE BLOOMINGTON FIRE DEPARTMENT.

KITCHEN HOOD SHALL BE PROTECTED BY A WET CHEMICAL, WITH WATER BACK UP, SUPPRESSION SYSTEM

G20
A4.1

CITY OF BLOOMINGTON FIRE DEPARTMENT NOTES

R/Δ

MARK	NUMBER	DESCRIPTION	MANUFACTURER	SIZE	FINISH	LENS	BULB	WATAGE	REMARKS
(R)	See Plan	Recessed Can	T.B.D.	4" - Verify	White Trim	N.A.	LED	T.B.D.	Verify
(R) D	See Plan	Recessed Directional Can	T.B.D.	4" - Verify	White Trim	N.A.	LED	T.B.D.	Verify
(R) EX	See Plan	Recessed Damp Rated Can	T.B.D.	6" - Verify	White Trim	T.B.D.	LED	T.B.D.	Verify
(W)	See Plan	Wall Fixture	T.B.D.	T.B.D.	T.B.D.	T.B.D.	LED	T.B.D.	Verify
(2x2)	See Plan	Troffer	T.B.D.	24"x24"	White Trim	Flat Panel	LED	T.B.D.	Washable shields in Kitchen areas - Lights in all food production or storage areas must be properly shielded or protected. The use of light tubes is not approved. Fixtures must have wrap around shields or a recessed styled fixture with acrylic shields. Provide a minimum of 50 foot candles in all food preparation areas. Ref. MN Food Code 4626.1375.
(2x4)	See Plan	Troffer	T.B.D.	24"x48"	White Trim	Flat Panel	LED	T.B.D.	
(F)	See Plan	Bathroom Fan	T.B.D.	24"x24" - Verify	White	N.A.	N.A.	T.B.D.	Verify

A20
A4.1


LIGHT FIXTURE SCHEDULE

R/Δ

A1
A4.1

REFLECTED CEILING PLAN - MAIN LEVEL

SCALE: 1/4" = 1'-0"



Project Title
Las Cuatro Milpas
Taqueria & Birreria
Project Address
415.78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 #Client City #Client State #Client Postcode | 651-417-6385 | #Client E-mail

M. / D. / YEAR
Review Set 08 / 05 / 2020
City Permits 08 / 06 / 2020
R1 08 / 12 / 2020
R2 09 / 10 / 2020
R3 09 / 19 / 2020

Date Printed 9/19/2020
Time 10:17 AM
DRAWN T. RAPSON

SHEET
REFLECTED CEILING
PLANS

A4.1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

A diagram showing a section of a wall with horizontal wood paneling. A door is centered in the wall, featuring a circular handle with the number '2' and a dashed diagonal line. To the right of the door, the text 'WOOD FEATURE WALL' is written. On either side of the door, there are two chairs with vertical slats, facing the wall.

MONITOR

OPEN PASS THRU

4'-0"

1'-4"

7'-6"

3'-6 1/2"

2'-10 1/2"

METAL FINISH

Diagram illustrating the components and dimensions of a lavatory stall:

- SUSPENDED ACOUSTIC TILE CEILING
- GYP. BRD. PAINTED
- ADA SOAP DISPENSER
- ADA SINK
- INSULATED WATER + DRAIN PIPES
- 34" MAX.
- 29" MIN.
- 27" MIN.
- 34" MAX.
- SEALED CONC. FLOOR FINISH
- COVE TILE BASE OR SCHLUTER STYLE COVE PROFILE

A detailed floor plan diagram of a female bathroom. The room is rectangular with a grid pattern representing wall tiles. Key features and dimensions include:

- SUSPENDED ACCOUSTIC TILE CEILING:** Indicated by an arrow pointing to the top of the room.
- GYP. BRD. - PAINTED:** Indicated by an arrow pointing to the right wall.
- Dimensions:**
 - Overall width: 39" - 41"
 - Overall depth: 39" - 41"
 - Wall tile height: 12" MAX
 - Sanitary napkin disposal unit width: 42" MIN
 - Baby changer height: 14" MIN
 - Toilet height: 33" - 36"
 - Sealed concrete floor finish height: 39" - 41"
- Equipment and Features:**
 - BABY CHANGER:** Located on the right wall.
 - SANITARY NAPKIN DISPOSAL - IN FEMALE BATHROOM:** Located on the right wall, below the baby changer.
 - T.P. DISPENSER:** Located on the right wall, below the sanitary napkin disposal.
 - COVE TILE BASE OR SOLULITER STYLE LOVE:** Indicated by an arrow pointing to the base of the right wall.
 - SEALED CONC. FLOOR FINISH:** Indicated by an arrow pointing to the floor.

Technical drawing of a bathroom stall showing dimensions and components. The drawing includes the following labels and dimensions:

- FRAMED MIRROR**: Points to the mirror above the vanity.
- PAPER TOWEL DISPENSER**: Points to the dispenser mounted on the wall.
- WALL TILES**: Points to the tiled wall area.
- INSULATED PIPE**: Points to the pipe at the bottom of the stall.
- SEALED COM**: Points to the sealed compartment at the bottom right.
- Dimensions**:
 - Overall height: 7'-0"
 - Overall width: 39'-41"
 - Minimum height for mirror: 36" MIN
 - Minimum height for towel dispenser: 12" MIN
 - Minimum height for wall tiles: 18" MIN
 - Minimum height for toilet: 19" MIN
 - Minimum height for sealed compartment: 33"-36"
 - Minimum height for vanity: 27" MIN
 - Maximum height for vanity: 34" MAX
 - Maximum height for towel dispenser: 40" MAX


PROPOSED BATHROOM PLAN


SCALE: 1/2" = 1'-0"

Model _____
 Project _____
 City _____


Hand Sink w/Sidesplash

15" x 17" x 12 1/2"
 18 lbs. (Shipping)





Inside Bowl
14\" L x 10\" D



Features

- 304 Series Stainless Steel
- 16 Gauge Construction
- 7 1/2\" Backsplash
- 5\" Deep Tub
- 4\" Gooseneck Faucet
- 1 1/2\" Basket Strainer and Mounting Bracket Included

Model

HS15S-CWP

Size
(L x D x H)

17\" x 15\" x 12 1/2\"

Weight/lbs
(Shipping)

18



4

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

EIENDL

ECOUBB-2G-HC

27" Depth Solid Swing Door Back Bar Cooler

SPECIFICATIONS

CABINET CONSTRUCTION: Standard, cabinet exterior construction includes attractive, wear resistant vinyl on steel in black finish. Stainless exterior options available. Standard interior construction utilizes stainless steel walls, floor and ceiling.

REFRIGERATION: Refrigeration system uses R134a refrigerant, which is CFC and HCFC-free for compliance with environmental safety concerns.

ELECTRICAL: Units wired at factory and ready for connection to a 115/60/1 phase.
15 amp dedicated outlet.

TEMPERATURE: Oversized, factory balanced, refrigeration system holds 33°F to 38F (0.51 to 3.3)

SANITATION: NSF-2 approved for packaged and bottled product

MODEL FEATURES:

- Standard LED light inside of the cabinet
- Easily accessible condenser coil for cleaning, and easy service access
- Designed to accommodate a variety of beer kegs

FRONT VIEW
26 1/2"

TOP VIEW
36"
26 1/2"

SIDE VIEW
29 1/2"
36"

Specifications subject to change without notice.
Chart dimensions rounded up to the nearest 1/8"

Model	Doors	Shelves	DIMENSIONS (INCHES)			CAP. CU FT.	HP	Voltage	Amps	NEMA Config.
			LENGTH	DEPTH	HIGHT					
ECOURB-2G-HC	2	4	58 1/4	27 1/4	36 1/4	13.8	1/3-	115/60/1	6.2	5-15P (1)

Plug types varies by country.

year parts and labor; 5 year compressor

11	12	13	14	15	16	17	18	19	20	21
----	----	----	----	----	----	----	----	----	----	----

TOP VIEW

SIDE VIEW

without notice
to nearest 1/8"

DIMENSIONS (INCHES)				CAP CUT OFF	HIP	Voltage	Amps.	NEMA Config.
Burners	Depth	Height	Width	-	1/2"	115/60/1	6.2	5-15P
58 x 146	27 1/2	70 5/8	36 1/4	32 1/2				

Plug types varies by country.

UL NSF IAS

HIENDL

GAS RANGE: 6BR

SPECIFICATION:

Hiendl's gas range/griddle are constructed of stainless steel fronts with aluminum sides. 12" x 12" heavy duty cast iron grates allow you to easily slide heavy pots from one section to another, while a unique anti-clogging pilot shield ensures that the open top burners deliver long-lasting performance. The standard steel oven(s) each have 30,000 BTUs of cooking power and a unique double-wall flame spreader with temperature diverters to ensure even heat distribution. The oven's interior has a porcelain bottom. 6" stainless steel legs and 24.75" high backriser. 1/2" rear NPT gas connection. ETL Listed and LF Sanitation.

CONSTRUCTION:

- Stainless steel front, backriser and shelf
- 30,000 BTU/hr top burners with lift-off heads
- 12" x 12" cast iron removable top grates
- Individual pilot light for each burner
- Spring loaded door with cool to touch s/h handle
- Removable crumb tray for easy cleaning
- 3/4" rear NPT gas connection
- LPG conversion kit included
- 6" adjustable stainless steel legs

OVEN FEATURES:

- 30,000 BTU/hr total output
- Flame failure safety device
- Adjustable thermostat ranges from 250°F-550°F
- Steel liner on door and sides with a porcelain oven liner
- Includes 2 removable and adjustable oven racks per oven
- Cool to touch stainless steel oven door handle

TOP BURNERS:

- Cast iron burners each giving off 30,000 BTU/hr
- 12" x 12" cast iron top grates are removable for easy cleaning and maintenance
- Each burner has an individual standing pilot light and control knob
- Extra 2" ledge between the burners and backsplash provides more room for bigger pots and pans during use

6

PLAN VIEW

Model Number	Description	Total BTU/hr	Gross Weight	Net Weight
6BR	36" Gas Range 6 Burners w/ 1 Oven	210,000	456 lbs	390 lbs

Model Number	Overall Dimensions	Oven Cavity Dimensions	Crumb Tray	Fit Full Size Pan (18"x26")
6BR	36"W x 32.5"D x 60"H	26.8"W x 26"D x 14"H	1	Yes

22	23	24	25	26	27	28	29	30	31
----	----	----	----	----	----	----	----	----	----

2

Project Title
Las Cuatro Milpas
Taqueria & Birrieria
Project Address
415 78th Street East, Bloomington, MN 55420
Project Owner
James Barger, JB Holdings
#Client Address1 | #Client City | #Client State | #Client Postcode | #Client E-mail

M / D / YEAR

Review Set	08 / 05 / 2020
City Permits	08 / 06 / 2020
R1	08 / 12 / 2020
R2	09 / 10 / 2020
R3	09 / 19 / 2020

Date Printed 9/19/2020

Time 10:17 AM

DRAWN T. RAPSON

SHEET

KITCHEN EQUIP. -
SPECIFICATIONS

A6.2

Project Title

Las Cuatro Milpas

Taqueria & Birrieria

Project Address

415 78th Street East, Bloomington, MN 55420

Project Owner

James Barger, JB Holdings

#Client Address 1 | #Client City | #Client State | #Client Postcode | 651-417-6395 | #Client E-mail

M/D/YEAR

Review Set

08 / 05 / 2020

City Permits

08 / 06 / 2020

R1

08 / 12 / 2020

R2

09 / 10 / 2020

R3

09 / 19 / 2020

Date Printed

9/19/2020

Time

10:17 AM

DRAWN

T. RAPSON

SHEET

KITCHEN EQUIP. -

SPECIFICATIONS

A6.3