



- SITE LAYOUT NOTES:**
- ALL EXISTING UTILITY LOCATIONS SHOWN ARE APPROXIMATE. CONTACT "GOPHER STATE ONE CALL" (651-454-0002 OR 800-252-1166) FOR UTILITY LOCATIONS, 48 HOURS PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL REPAIR OR REPLACE ANY UTILITIES THAT ARE DAMAGED DURING CONSTRUCTION AT NO COST TO THE OWNER.
 - CONTRACTOR SHALL VERIFY LOCATIONS AND LAYOUT OF ALL SITE ELEMENTS PRIOR TO BEGINNING CONSTRUCTION, INCLUDING BUT NOT LIMITED TO, LOCATIONS OF EXISTING AND PROPOSED PROPERTY LINES, EASEMENTS, SETBACKS, UTILITIES, BUILDINGS AND PAVEMENTS. CONTRACTOR IS RESPONSIBLE FOR FINAL LOCATIONS OF ALL ELEMENTS FOR THE SITE. ANY REVISIONS REQUIRED AFTER COMMENCEMENT OF CONSTRUCTION, DUE TO LOCATIONAL ADJUSTMENTS SHALL BE CORRECTED AT NO ADDITIONAL COST TO OWNER. ADJUSTMENTS TO THE LAYOUT SHALL BE APPROVED BY THE ENGINEER/LANDSCAPE ARCHITECT PRIOR TO INSTALLATION OF MATERIALS. STAKE LAYOUT FOR APPROVAL.
 - THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS PRIOR TO CONSTRUCTION, INCLUDING A RIGHT-OF-WAY AND STREET OPENING PERMIT.
 - THE CONTRACTOR SHALL VERIFY RECOMMENDATIONS NOTED IN THE GEO TECHNICAL REPORT PRIOR TO INSTALLATION OF SITE IMPROVEMENT MATERIALS.
 - CONTRACTOR SHALL FIELD VERIFY COORDINATES AND LOCATION DIMENSIONS & ELEVATIONS OF THE BUILDING AND STAKE FOR REVIEW AND APPROVAL BY THE OWNERS REPRESENTATIVE PRIOR TO INSTALLATION OF FOOTING MATERIALS.
 - LOCATIONS OF STRUCTURES, ROADWAY PAVEMENTS, CURBS AND GUTTERS, BOLLARDS, AND WALKS ARE APPROXIMATE AND SHALL BE STAKED IN THE FIELD, PRIOR TO INSTALLATION, FOR REVIEW AND APPROVAL BY THE ENGINEER/LANDSCAPE ARCHITECT.
 - CURB DIMENSIONS SHOWN ARE TO FACE OF CURB. BUILDING DIMENSIONS ARE TO FACE OF CONCRETE FOUNDATION. LOCATION OF BUILDING IS TO BUILDING FOUNDATION AND SHALL BE AS SHOWN ON THE DRAWINGS.
 - THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS OR SAMPLES AS SPECIFIED FOR REVIEW AND APPROVAL BY THE ENGINEER/LANDSCAPE ARCHITECT PRIOR TO FABRICATION FOR ALL PREFABRICATED SITE IMPROVEMENT MATERIALS SUCH AS, BUT NOT LIMITED TO THE FOLLOWING: FURNISHINGS, PAVEMENTS, WALLS, RAILINGS, BENCHES, FLAGPOLES, LANDING PADS FOR CURB RAMPS, AND LIGHT AND POLES. THE OWNER RESERVES THE RIGHT TO REJECT INSTALLED MATERIALS NOT PREVIOUSLY APPROVED.
 - ALL PEDESTRIAN RAMP COMPONENTS TO BE CONSTRUCTED AND GRADED PER MnDOT DETAILS. TRUNCATED DOMES CAN BE OMITTED ON PRIVATE PROPERTY AS DIRECTED BY THE ENGINEER/OWNERSHIP, UNLESS REQUIRED BY THE CITY.
 - CROSSWALK STRIPING SHALL BE 24" WIDE WHITE PAINTED LINE, SPACED 48" ON CENTER PERPENDICULAR TO THE FLOW OF TRAFFIC. WIDTH OF CROSSWALK SHALL BE 5' WIDE. ALL OTHER PAVEMENT MARKINGS SHALL BE WHITE IN COLOR UNLESS OTHERWISE NOTED OR REQUIRED BY ADA OR LOCAL GOVERNING BODIES.
 - SEE SITE PLAN FOR CURB AND GUTTER TYPE. TAPER BETWEEN CURB TYPES-SEE DETAIL.
 - ALL CURB RADII ARE MINIMUM 3' UNLESS OTHERWISE NOTED.
 - CONTRACTOR SHALL REFER TO FINAL PLAT FOR LOT BOUNDARIES, NUMBERS, AREAS AND DIMENSIONS PRIOR TO SITE IMPROVEMENTS.
 - FIELD VERIFY ALL EXISTING SITE CONDITIONS, DIMENSIONS.
 - PARKING IS TO BE SET PARALLEL OR PERPENDICULAR TO EXISTING BUILDING UNLESS NOTED OTHERWISE.
 - ALL PARKING LOT PAINT STRIPPING TO BE WHITE, 4" WIDE TYP.
 - BITUMINOUS PAVING TO BE "LIGHT DUTY" UNLESS OTHERWISE NOTED. SEE DETAIL SHEETS FOR PAVEMENT SECTIONS.
 - ALL TREES THAT ARE TO REMAIN ARE TO BE PROTECTED FROM DAMAGE WITH A CONSTRUCTION FENCE AT THE DRIP LINE. SEE LANDSCAPE DOCUMENTS.

SITE PLAN LEGEND:

[Symbol]	LIGHT DUTY BITUMINOUS PAVEMENT (IF APPLICABLE). SEE GEOTECHNICAL REPORT FOR AGGREGATE BASE & WEAR COURSE DEPTH, SEE DETAIL.
[Symbol]	HEAVY DUTY BITUMINOUS PAVEMENT (IF APPLICABLE). SEE GEOTECHNICAL REPORT FOR AGGREGATE BASE & WEAR COURSE DEPTH. SEE DETAIL.
[Symbol]	CONCRETE PAVEMENT (IF APPLICABLE) AS SPECIFIED (PAD OR WALK) SEE GEOTECHNICAL REPORT FOR AGGREGATE BASE & CONCRETE DEPTHS. WITHIN ROW SEE CITY DETAIL, WITHIN PRIVATE PROPERTY SEE CSG DETAIL.
[Symbol]	PROPERTY LINE
[Symbol]	CONSTRUCTION LIMITS
[Symbol]	CURB AND GUTTER-SEE NOTES (T.O.) TIP OUT GUTTER WHERE APPLICABLE-SEE PLAN
[Symbol]	SIGN AND POST ASSEMBLY. SHOP DRAWINGS REQUIRED. HC = ACCESSIBLE SIGN NP = NO PARKING FIRE LANE ST = STOP CCPO = COMPACT CAR PARKING ONLY
[Symbol]	ACCESSIBILITY ARROW (IF APPLICABLE) DO NOT PAINT.

CITY OF BLOOMINGTON SITE SPECIFIC NOTES:

- ALL CONSTRUCTION AND POST-CONSTRUCTION PARKING AND STORAGE OF EQUIPMENT AND MATERIALS MUST BE ON-SITE. USE OF PUBLIC STREETS FOR PRIVATE CONSTRUCTION PARKING, LOADING/UNLOADING, AND STORAGE WILL NOT BE ALLOWED.
- CONTRACTOR TO PROVIDE A CONSTRUCTION SITE CIRCULATION PLAN THAT INCLUDES THE FOLLOWING: SITE ACCESS LOCATIONS, VEHICLE CIRCULATION, PEDESTRIAN CIRCULATION, CONSTRUCTION PARKING AREA, LAYDOWN/STAGING/DELIVERY AREA, CONSTRUCTION FENCING LIMITS.
- CONTRACTOR TO COORDINATE SIDEWALK CLOSURES AND PEDESTRIAN DETOURS WITH THE CITY'S TRAFFIC DIVISION. THE SIDEWALK CLOSURE WILL BE ALLOWED FOR ONLY A MINIMAL DURATION AND A TEMPORARY PEDESTRIAN ACCESS ROUTE (TPAR) WILL BE REQUIRED. COORDINATE WITH CITY.

SITE DATA	
EXISTING ZONING	COMMUNITY COMMERCIAL (CC)
PROPOSED ZONING	HIGH DENSITY RESIDENTIAL (HDR) RM-100
NUMBER OF UNITS	99
PROPOSED DENSITY	54.82 DU/ACRE
PARKING SPACE	9'X18'
COMPACT PARKING SPACE	9'X16'
DRIVE AISLE:	24'
REFER TO ARCHITECTURAL SITE PLAN FOR PARKING REQUIREMENTS	
TOTAL SURFACE PARKING LOT SPACES PROVIDED	107
COMPACT SPACES PROVIDED	15
HANDICAP SPACES PROVIDED	6
EXISTING PARKING LOT SPACES	23

OPERATIONAL NOTES:

SNOW REMOVAL ALL SNOW SHALL BE STORED ON-SITE OUTSIDE PARKING LOT. WHEN FULL, REMOVAL CO. SHALL REMOVE EXCESS OFF-SITE.

TRASH REMOVAL: TRASH SHALL BE WHEELED OUT TO EXTERIOR TRASH PICK-UP AREA AND REMOVED BY COMMERCIAL CO. WEEKLY.

DELIVERIES: DELIVERIES SHALL OCCUR AT THE FRONT DOOR VIA STANDARD COMMERCIAL DELIVERY VEHICLES (UPS, FED-EX, USPS).

SITE AREA TABLE:

SITE AREA CALCULATIONS		EXISTING CONDITION		PROPOSED CONDITION	
BUILDING COVERAGE	5,553 SF	7.1%	20,443 SF	26.0%	
ALL PAVEMENTS	59,530 SF	75.7%	43,054 SF	54.7%	
ALL NON-PAVEMENTS	13,608 SF	17.3%	15,194 SF	19.3%	
TOTAL SITE AREA	78,691 SF	100.0%	78,691 SF	100.0%	

IMPERVIOUS SURFACE		
EXISTING CONDITION	65,083 SF	82.7%
PROPOSED CONDITION	63,497 SF	80.7%
DIFFERENCE (EX. VS PROP.)	-1,586 SF	-2.0%

811 logo

Know what's below. Call before you dig.

North arrow pointing up

Graphic scale: 1" = 20'-0"

Graphic scale: 10'-0" 0 20'-0"

CivilSite
Civil Engineering • Surveying • Landscape Architecture
5000 Glenwood Avenue
Golden Valley, MN 55422
civilsitegroup.com 612-615-0060

esc
ARCHITECTURE & DESIGN

THE KNOX
1801 AMERICAN BLVD W, BLOOMINGTON, MN 55431

STUART DEVELOPMENT CORPORATION
1000 W 80TH STREET MINNEAPOLIS, MN 55420

PROJECT

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

Matthew R. Pavsek
DATE 2/1/2024 LICENSE NO. 44263

ISSUE/SUBMITTAL SUMMARY

DATE	DESCRIPTION
3/8/2023	SKETCH PLAN
4/26/2023	PRE-APP DRG SUBMISSION
6/17/2023	DEVELOPMENT APPLICATION SUBMITTAL
6/7/31/2023	WATERSHED SUBMITTAL
08/31/2023	WATERSHED RESUBMITTAL
09/29/2023	DD/IMP SET
12/8/2023	WATERSHED RESUBMITTAL
12/21/2023	FOOTING & FOUNDATION PERMIT SET
02/01/2024	PERMIT SET

DRAWN BY: JR, BB REVIEWED BY: MP
PROJECT NUMBER: 23027

REVISION SUMMARY

DATE	DESCRIPTION
2-1-2024	Revision A

SITE PLAN

C2.0

© CDP/RIGHT 2024 CIVIL SITE GROUP INC.