

5601 American Boulevard W., Bloomington, MN 55437

PL2020-59



Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project: THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES

Project Number	19022
Date	03.20.20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

LINK WILSON REG. NO: 21629

LINK WILSON REG. NO: 21629

Date _____

tion

New No

Cover Sheet

As indicated

A000

General Notes to Bidders:

Per AIA A201 CORRELATION AND INTENT OF THE CONTRACT DOCUMENTS

1.1.2.1 The intent of the Contract Documents to include all items necessary for the proper execution and completion of the Work by the Contractor. The Contract Documents are **complementary**, and what is required by one shall be as binding as if required by all; performance by the Contractor shall be required only to the extent necessary to complete the Contract Documents and reasonably be inferred from them; being necessary to produce the indicated results.

1.1.2.2 Organization of the Specifications into divisions, sections and articles, and arrangement of Drawings shall not control the Contractor in dividing the Work among Subcontractors or in establishing the extent of Work to be performed by any trade.

Per Supplementary Instructions Specification Section 01 10 00

A. 1.2.4 - Precedence: In the event of inconsistencies among the documents, Architect will interpret them in accordance with the requirements specified herein and the overall intent of achieving a functional, cost-effective product through the buildings.

B. 1.2.5 - Where standard specifications, such as Feds, Spec. AIA, ASTM, or other standards are referred to herein, if no date or edition is indicated, the latest or most recent edition of such code including all amendments shall apply in this contract.

ARTISIC RENDERING

SITE MAP

Total Gross Area	
Level	Area
Level 5	38,206 ft ²
Level 4	38,335 ft ²
Level 3	38,335 ft ²
Level 2	38,248 ft ²
Level 1	38,991 ft ²
Level -1	64,863 ft ²
Grand total	256,978 ft ²

Parking Schedule	
Level	Count
Level -1	
Parking - Garage - Phase I	84
Parking - Garage - Phase II	160
	244
Level 1	
Parking - Surface - Phase I	53
Parking - Surface - Phase II	58
Parking - Surface - Phase II - Proof of Parking	9
	120
	364

Unit Mix by Floor		
Name	Count	Area
Unit D1	2	1,462 ft ²
Unit D2	2	1,586 ft ²
Unit E1	2	1,544 ft ²
Unit E2	1	1,535 ft ²
Unit F1	1	1,802 ft ²
Unit S1	2	
	29	
Level 5		
Unit A1	3	713 ft ²
Unit A2	3	
Unit A3	2	963 ft ²
Unit B1	2	1,050 ft ²
Unit C1	3	997 ft ²
Unit C2	2	
Unit C3	2	1,177 ft ²
Unit D1	2	1,213 ft ²
Unit D2	2	1,402 ft ²
Unit D3	2	1,586 ft ²
Unit E1	2	1,544 ft ²
Unit E2	1	1,535 ft ²
Unit S1	2	
Grand total:	138	

Provide adequate turning radius for BFD Ladder 1 for all emergency vehicle access lanes.

All emergency vehicle access lanes including all areas of the parking structure (top and lower levels) shall support a minimum 40 tons.

Hydrant coverage shall be provided within 50' of the FDC and within 150' of all portions of the structure.

Building property shall be adequately signed for emergency response.

insure the proposed landscaping doesn't interfere with access to the building.

PL202000059
PL2020-59



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5901 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022
Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.

Site


1" = 30'-0"

A120

C:\Revit Local\19022-UP-Bloomington-American Blvd IL Building V7_glamson.rvt


Copyright Kas Wilson Architects | 3/26/2020 10:56:50 AM

1 Site Plan
1" = 30'-0"



CONSTRUCTED PROOF OF
PARKING

PL202000059
PL2020-59



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-4000
fax: (612) 879-6666
www.kaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5901 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022
Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN,
SPECIFICATION OR REPORT WAS
PREPARED UNDER MY DIRECT
SUPERVISION AND THAT I AM A
REGISTERED ARCHITECT UNDER
THE LAWS OF THE STATE OF
MINNESOTA.

LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.


Site

1" = 30'-0"

A120

C:\Revit Local\19022-UP-Bloomington-American Blvd IL Building V7_glamason.rvt

Copyright Kas Wilson Architects 3/26/2020 10:56:50 AM



1 Site Plan
1" = 30'-0"

Emergency responder radio coverage meeting the requirements of appendix L in the 2015 MSFC shall be provided throughout the property and within the structures.

Fire alarm and annunciator panels and Knox box locations to be determined by the Fire Prevention Division. This project may require multiple panels and Knox boxes.


Hose valves shall be provided throughout the lower level of the parking garage within 130' of all areas of the garage if dry standpipe or within 200 feet if installing a wet standpipe

PL202000059

PL2020-59

- REVISED NOTES
- (BB) BOLT-DOWN BOLLARD - SEE DETAIL A4A300
 - (PC) PRECAST COLUMN - SEE STRUCTURAL
 - (MP) MASONRY PIER - SEE STRUCTURAL
 - (F) FLOOR DRAIN - SEE PLAN FOR ELEVATION HEIGHTS

- GARAGE PLAN GENERAL NOTES
1. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT OUT WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.
 2. ALL DIMENSIONS AT INTERIOR WALLS ARE TAKEN TO THE CENTER OF FRAMING NOTE THAT THIS IS NOT NECESSARILY THE CENTER OF THE WALL.
 3. SEE SHEET A010 AND A011 FOR CONSTRUCTION ASSEMBLIES.
 4. SEE SHEET A880 FOR FIRE CAULKING ASSEMBLIES. FIRE CAULKING USED BY EACH TRADE SHALL BE OF THE SAME MANUFACTURER - GC TO COORDINATE.
 5. TOPS OF WALLS EXCEPT FOR TRASH ELEVATOR LOBBY & STAIR SHALL HAVE FIRE CAULK. SEE SHEET A880 FOR DETAILS.
 6. PROTECT ALL PLUMBING EQUIPMENT INCLUDING PIPE SHIELDS @ GARAGE LEVEL.
 7. 4" WHITE PAINT STRIPE TYPICAL AT ALL PARKING STALLS, 10'-0" CL TO CL, UNO.
 8. SLOPE CONCRETE TO FLOOR DRAINS AS NOTED.
 9. MAINTAIN 8'-2" MIN. CLEAR HEAD HEIGHT FROM GARAGE DOOR TO H.C. VAN ACCESSIBLE STALL.
 10. NUMBER ALL PARKING STALLS 50' AFF.
 11. LOCATE A TYPE FEE3 FIRE EXTINGUISHER EVERY 150' OF GARAGE. MEASURED FROM END TO END OF GARAGE SPACE - SEE PLANS TO COORDINATE.
 12. NO WOOD STUDS AND GYP. AT GARAGE LEVEL - USE METAL STUDS AND MOISTURE-RESISTANT GYP. BOARD.
 13. SEE GARAGE PLAN FOR PARKING STALL TYPES AND DIMENSIONS.
 14. PROVIDE PREMANUFACTURED WIRE MESH SECURITY COVERS AT SPECIFIED LOCATIONS IN PARKING GARAGE. GC TO PROVIDE ANCHORS. INSTALL PER MANUFACTURER INSTRUCTIONS.
 15. DRAIN TILE TO OCCUR AROUND EXTERIOR AND INTERIOR OF BUILDING PERIMETER FOUNDATIONS AND AT ALL STRUCTURAL STOOPS.
 16. EMERGENCY RESPONDER RADIO COVERAGE MEETING THE REQUIREMENTS OF APPENDIX L IN THE 2015 MSFC SHALL BE PROVIDED THROUGHOUT THE PROPERTY AND WITHIN THE STRUCTURES.



1 Level -1 - Overall
1/16" = 1'-0"



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Link Wilson

LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.

Level -1 - Overall
As indicated
A300


Standpipe coverage/hose valves shall be located in stairwells and within 200' of all areas.

Access shall be provided to/from all stairwells on all floors and parking levels.

Balconies required to sprinklered unless non-combustible deck material and siding used.

C:\Revit Local\19022-UP-Bloomington-American Blvd IL Building V7 gjameson.rvt

Copyright Kaas Wilson Architects 3/26/2020 10:57:04 AM



PL202000059
PL2020-59

FLOOR PLAN GENERAL NOTES

- [illegible]

2 HR EXTERIOR BEARING WALL



kaas
wilson
architects

1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project: **THE POINTE BLOOMINGTON**
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
6651 Nicollet Mall Suite 450 Minneapolis

Project Number	19022
----------------	-------

Date 03.20.20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN,
SPECIFICATION OR REPORT WAS
PREPARED UNDER MY DIRECT
SUPERVISION AND THAT I AM A
REGISTERED ARCHITECT UNDER
THE LAWS OF THE STATE OF
MINNESOTA.


LINK WILSON REG. NO. 21629

Date _____


Revision

Rev. No.

Level 1 -
Overall

As indicated

A310



1 Level 2 - Overall
1/16" = 1'-0"

PL202000059
PL2020-59

FLOOR PLAN GENERAL NOTES

1. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT CMU/UP WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.
2. ALL DIMENSIONS AT INTERIOR WALLS ARE TAKEN TO THE CENTER OF STUD, UNLESS NOTED OTHERWISE.
3. TOPS OF ALL WALLS AT TRASH, ELEVATORS, LOBBYS & STAIRS AT GARAGE LEVEL SHALL BE FIRE SEALED.
4. CORRIDOR WALLS ARE WALL TYPE C28, 2X8'S, UNLESS NOTED OTHERWISE.
5. UNIT PARTY WALLS TO BE WALL TYPE P1, UNLESS NOTED OTHERWISE.
6. ALL WINDOWS WITHIN 24" OF DOOR SWING SHALL BE TEMPERED.
7. PROVIDE CABINET PULLS @ ALL KITCHENS AND BATHS.
8. FILL PLANK CORES AT EXTERIOR PERIMETER W/ SPRAY FOAM INSULATION FOR A DEPTH OF 24" & GROUT SOLID PLANK CORES AS REQD PER STRUCTURAL CONNECTIONS.
9. GROUT PRECAST PLANK CORES AT EXTERIOR SILL PLATES.
10. AT ALL BEARING STUDS WITH PIPE PENETRATIONS, STRAP PLATES AS REQUIRED TO MAINTAIN STRUCTURAL INTEGRITY OF WALL.
11. ALL STEEL BEAMS AND COLUMNS ARE TO RECEIVE SPRAY APPLIED FIREPROOFING TO 1 HOUR RATING ON WOOD FRAMED LEVELS AND 2 HOUR RATING AT GARAGE LEVEL.
12. WHEN NOT OTHERWISE SHOWN IN AN ELEVATION VIEW, SEE ENLARGED FLOOR PLANS FOR TAGS DENOTING CABINETRY, BATH ACCESSORIES, FIXTURES, AND APPLIANCES. SEE ELEVATIONS/DETAILS FOR STANDARD MOUNTING HEIGHTS.
13. FURNITURE N.I.C.
14. HANDRAILS TO BE PROVIDED ONE SIDE OF ALL CORRIDORS SEE SHEET A850.
15. PROVIDE 4" HIGH FRP AT ALL WALLS ADJACENT TO TOP SINKS WASH SINKS.
17. SEE A810 AND GRADING PLAN FOR LOCATION OF INSULATION @ FOUNDATION WALLS.
18. EMERGENCY RESPONDER RADIO COVERAGE MEETING THE REQUIREMENTS OF APPENDIX L IN THE 2015 MFC SHALL BE PROVIDED THROUGHOUT THE PROPERTY AND WITHIN THE STRUCTURES.
19. ALL LIGHTING HEIGHTS BY INTERIOR DESIGNER U.N.O.
20. VERIFY REQUIREMENTS FOR LUXER PACKAGE ROOM ACCESS CONTROL & LUXOR SECURITY CAMERA(S). PROVIDE POWER OUTLETS AT THE CEILING FOR CAMERA(S). PROVIDE POWER OUTLET FOR LUXER TOUCH SCREEN. LOCATE TOUCH SCREEN NO MORE THAN 48" TO THE TOP OF SCREEN APPROX. 41" 1/2 FROM FINISHED FLOOR TO BOTTOM OF OUTLET BOX. VERIFY LOCATION OF SCREEN FROM STRIKE SIDE OF DOOR. EVALUATE TOUCH SCREEN BRACKET SIZE IN CONJUNCTION WITH LOCATING THE POWER BOX. PREP DOOR FRAMES FOR ACCESS CONTROLS. VERIFY ELECTRIC STRIKE MANUFACTURER TO PROVIDE 2V DC COORDINATED WITH DOOR, FRAME & HARDWARE AS WELL AS BEING COMPATIBLE WITH LUXER SYSTEM.

2 HR EXTERIOR BEARING WALL



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite 700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite 403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.

Level 2 - Overall

As indicated

A320

1. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO THE TOP OF FACE OF WALL OR TO CMJPC WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.

1.1. DIMENSIONS AT INTERIOR WALLS ARE TAKEN TO THE CENTER OF STUD, UNLESS NOTED OTHERWISE.

3. TOPS OF ALL WALLS AT TRASH, ELEVATORS, LOBBYS & STAIRS AT GARAGE LEVEL SHALL BE FIRE SEALED.

4. CORRIDOR WALLS ARE WALL TYPE C28. 2X8S, UNLESS NOTED OTHERWISE.

5. UNIT PART WALLS TO BE WALL TYPE P1, UNLESS NOTED OTHERWISE.

7. WALLS WITHIN 24" OF DOOR SIVNG SHALL BE TEMPERED.

7. PROVIDE CABLE PULLS @ ALL KITCHENS AND BATHS.

8. FILL PLANK CROWN AT EXTERIOR PERIMETER W/ SPRAY FOAM INSULATION FOR A DEPTH OF 2" X 6" GROUT SLOID PLANK FLOORS AS REQUIRED STRUCTURAL CONNECTIONS.

9. GROUT PRECAST PLANK FLOORS AT EXTERIOR SILL PLATES.

10. ALL BEARING STUDS WITH PIPE PENETRATIONS, STRAP PLATES AS REQUIRED TO MAINTAIN STRUCTURAL INTEGRITY OF WALL.

11. ALL STEEL BEAMS AND COLUMNS ARE TO RECEIVE SPRAY APPLIED FIREPROOFING TO 1 HOUR RATING ON WOOD FRAEMED BEAMS AND HOUR RATING AT GARAGE LEVEL.

12. WHEN NOT OTHERWISE SHOWN IN A GIVEN VIEW, SEE ENLARGED FLOOR PLANS FOR TAGS DENOTING CABLE/FIRE BATH ACCESSORIES, FIXTURES, AND APPLIANCES. SEE ELEVATIONS/DETAILS FOR STANDARD MOUNTING HEIGHTS.

13. FURNITURE N.I.C.

14. HANDRAILS TO BE PROVIDED ONE SIDE OF ALL CORRIDORS TO SEE A850.

15. PROVIDE A HIGH GRIP FILL AT WALLS ADJACENT TO MOP/SPIN WASH AREAS.


16. SEE A850 AND GRADING PLAN FOR LOCATION OF INSULATION @ FOUNDATION WALLS.

16. EMERGENCY RESPONDER RADIO COVERAGE MEETING THE REQUIREMENTS OF APPENDIX L IN THE 2015 MAFS SHALL BE PROVIDED THROUGHOUT THE PROPERTY AND WITHIN THE STRUCTURES.

17. ALL LIGHTING HEIGHTS BY INTERIOR DESIGNER I.N.O.

20. PAYMENT REQUIREMENTS FOR LUXER PAPERWORK ROOM ACCESS CONTROL & LUXER SECURITY (CAMERAS), PROVIDE POWER OUTLETS AT THE CEILING FOR CAMERAS. PROVIDE THROUGHOUT THE PROPERTY A TOUCH SCREEN. LOCATE TOUCH SCREENS NO MORE THAN 48" TO THE TOP OF SCREEN APPROX. 41" FROM STRIKE SIDE OF DOOR. EVALUATE TOUCH SCREEN BRACKET SIZE IN CONJUNCTION WITH LOCATING THE POWER SOURCE AND PROVIDE FRAMES AND POWER CONTROLS. VERIFY ELECTRIC STRIKE MANUFACTURER TO PROVIDE 20 DC FROM FLOOR TO FRAME & HARDWARE AS WELL AS BEING COMPLIANT WITH LUXER SYSTEM.

2. 2H R EXTERIOR WALLS




① Level 3 - Overall
1/16" = 1'-0"

N


Level 3 -
Overall
As indicated
A330

C:\Revit Local\19022-UP-Bloomington-American Blvd IL Building V7_gjameson.rvt

Copyright Kaas Wilson Architects | 3/26/2020 10:57:55 AM



1 Level 4 - Overall
1/16" = 1'-0"



PL202000059
PL2020-59

FLOOR PLAN GENERAL NOTES

1. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT CMU/UP WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.
2. ALL DIMENSIONS AT INTERIOR WALLS ARE TAKEN TO THE CENTER OF STUD, UNLESS NOTED OTHERWISE.
3. TOPS OF ALL WALLS AT TRASH, ELEVATORS, LOBBYS & STAIRS AT GARAGE LEVEL SHALL BE FIRE SEALED.
4. CORRIDOR WALLS ARE WALL TYPE C2B, 2X8'S, UNLESS NOTED OTHERWISE.
5. UNIT PARTY WALLS TO BE WALL TYPE P1, UNLESS NOTED OTHERWISE.
6. ALL WINDOWS WITHIN 24" OF DOOR SWING SHALL BE TEMPERED.
7. PROVIDE CABINET PULLS @ ALL KITCHENS AND BATHS.
8. FILL PLANK CORES AT EXTERIOR PERIMETER W/ SPRAY FOAM INSULATION FOR A DEPTH OF 24" & GROUT SOLID PLANK CORES AS REQD PER STRUCTURAL CONNECTIONS.
9. GROUT PRECAST PLANK CORES AT EXTERIOR SILL PLATES.
10. AT ALL BEARING STUDS WITH PIPE PENETRATIONS, STRAP PLATES AS REQUIRED TO MAINTAIN STRUCTURAL INTEGRITY OF WALL.
11. ALL STEEL BEAMS AND COLUMNS ARE TO RECEIVE SPRAY APPLIED FIREPROOFING TO 1 HOUR RATING ON WOOD FRAMED LEVELS AND 2 HOUR RATING AT GARAGE LEVEL.
12. WHEN NOT OTHERWISE SHOWN IN AN ELEVATION VIEW, SEE ENLARGED FLOOR PLANS FOR TAGS DENOTING CABINETRY, BATH ACCESSORIES, FIXTURES, AND APPLIANCES. SEE ELEVATIONS/DETAILS FOR STANDARD MOUNTING HEIGHTS.
13. FURNITURE N.I.C.
14. HANDRAILS TO BE PROVIDED ONE SIDE OF ALL CORRIDORS SEE SHEET A850.
15. PROVIDE 4" HIGH FRP AT ALL WALLS ADJACENT TO TOP SINKS WASH SINKS.
17. SEE A810 AND GRADING PLAN FOR LOCATION OF INSULATION @ FOUNDATION WALLS.
18. EMERGENCY RESPONDER RADIO COVERAGE MEETING THE REQUIREMENTS OF APPENDIX L IN THE 2015 MFC SHALL BE PROVIDED THROUGHOUT THE PROPERTY AND WITHIN THE STRUCTURES.
19. ALL LIGHTING HEIGHTS BY INTERIOR DESIGNER U.N.O.
20. VERIFY REQUIREMENTS FOR LUXER PACKAGE ROOM ACCESS CONTROL & LUXER SECURITY CAMERA(S). PROVIDE POWER OUTLETS AT THE CEILING FOR CAMERA(S). PROVIDE POWER OUTLET FOR LUXER TOUCH SCREEN. LOCATE TOUCH SCREEN NO MORE THAN 48" TO THE TOP OF SCREEN APPROX. 41 1/2" FROM FINISHED FLOOR TO BOTTOM OF OUTLET BOX. VERIFY LOCATION OF SCREEN FROM STRIKE SIDE OF DOOR. EVALUATE TOUCH SCREEN BRACKET SIZE IN CONJUNCTION WITH LOCATING THE POWER BOX. PREP DOOR FRAMES FOR ACCESS CONTROLS. VERIFY ELECTRIC STRIKE MANUFACTURER TO PROVIDE 2V DC COORDINATED WITH DOOR, FRAME & HARDWARE AS WELL AS BEING COMPATIBLE WITH LUXER SYSTEM.

2 HR EXTERIOR BEARING WALL



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Link Wilson
LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.


Level 4 -
Overall

As indicated

A333

C:\Revit Local\19022-UP-Bloomington-American Blvd IL Building V7_gjameson.rvt

Copyright Kaas Wilson Architects | 3/26/2020 10:58:10 AM




PL202000059
PL2020-59

FLOOR PLAN GENERAL NOTES

1. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT CMU/UP WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.
2. ALL DIMENSIONS AT INTERIOR WALLS ARE TAKEN TO THE CENTER OF STUD, UNLESS NOTED OTHERWISE.
3. TOPS OF ALL WALLS AT TRASH, ELEVATORS, LOBBYS & STAIRS AT GARAGE LEVEL SHALL BE FIRE SEALED.
4. CORRIDOR WALLS ARE WALL TYPE C28, 2X8'S, UNLESS NOTED OTHERWISE.
5. UNIT PARTY WALLS TO BE WALL TYPE P1, UNLESS NOTED OTHERWISE.
6. ALL WINDOWS WITHIN 24" OF DOOR SWING SHALL BE TEMPERED.
7. PROVIDE CABINET PULLS @ ALL KITCHENS AND BATHS.
8. FILL PLANK CORES AT EXTERIOR PERIMETER W/ SPRAY FOAM INSULATION FOR A DEPTH OF 24" & GROUT SOLID PLANK CORES AS REQD PER STRUCTURAL CONNECTIONS.
9. GROUT PRECAST PLANK CORES AT EXTERIOR BULL RATES.
10. AT ALL BEARING STUDS WITH PIPE PENETRATIONS, STRAP PLATES AS REQUIRED TO MAINTAIN STRUCTURAL INTEGRITY OF WALL.
11. ALL STEEL BEAMS AND COLUMNS ARE TO RECEIVE SPRAY APPLIED FIREPROOFING TO 1 HOUR RATING ON WOOD FRAMED LEVELS AND 2 HOUR RATING AT GARAGE LEVEL.
12. WHEN NOT OTHERWISE SHOWN IN AN ELEVATION VIEW, SEE ENLARGED FLOOR PLANS FOR TAGS DENOTING CABINETRY, BATH ACCESSORIES, FIXTURES, AND APPLIANCES. SEE ELEVATIONS/DETAILS FOR STANDARD MOUNTING HEIGHTS.
13. FURNITURE N.I.C.
14. HANDRAILS TO BE PROVIDED ONE SIDE OF ALL CORRIDORS SEE SHEET A850.
15. PROVIDE 4" HIGH FRP AT ALL WALLS ADJACENT TO MOP SINKS WASH SINKS.
17. SEE A810 AND GRADING PLAN FOR LOCATION OF INSULATION @ FOUNDATION WALLS.
18. EMERGENCY RESPONDER RADIO COVERAGE MEETING THE REQUIREMENTS OF APPENDIX L IN THE 2015 NFPA SHALL BE PROVIDED THROUGHOUT THE PROPERTY AND WITHIN THE STRUCTURES.
19. ALL LIGHTING HEIGHTS BY INTERIOR DESIGNER U.N.O.
20. VERIFY REQUIREMENTS FOR LUXER PACKAGE ROOM ACCESS CONTROL & LUXOR SECURITY CAMERA(S). PROVIDE POWER OUTLETS AT THE CEILING FOR CAMERA(S). PROVIDE POWER OUTLET FOR LUXER TOUCH SCREEN. LOCATE TOUCH SCREEN NO MORE THAN 48" TO THE TOP OF SCREEN APPROX. 41" FROM FINISHED FLOOR TO BOTTOM OF OUTLET BOX. VERIFY LOCATION OF SCREEN FROM STRIKE SIDE OF DOOR. EVALUATE TOUCH SCREEN BRACKET SIZE IN CONJUNCTION WITH LOCATING THE POWER BOX. PREP DOOR FRAMES FOR ACCESS CONTROLS. VERIFY ELECTRIC STRIKE MANUFACTURER TO PROVIDE 2V DC COORDINATED WITH DOOR, FRAME & HARDWARE AS WELL AS BEING COMPATIBLE WITH LUXER SYSTEM.

2 HR EXTERIOR BEARING WALL



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kaaswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Link Wilson
LINK WILSON REG. NO. 21629

Date


Revision

Rev. No.

Level 5 -
Overall

As indicated


A350



1 Elevation - East
1/8" = 1'-0"



2 Elevation - North East
1/8" = 1'-0"



3 Elevation - North West
1/8" = 1'-0"

PL202000059



PL2020-59

1. SEE DRAWING SHEET A630 FOR WINDOW HEAD, JAMB AND SILL
2. SEE SHEETS A816-A841 FOR EXTERIOR WALL DETAILS
3. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT CMU WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE
4. SEE SHEETS A811 FOR INTERIOR AND EXTERIOR WALL TYPES
5. PROVIDE CONTROL JOINTS IN CONCRETE MASONRY WALLS EVERY 32'-0" (REGARDLESS IF SHOWN ON ELEVATION OR NOT SHOWN ON ELEVATION)
6. PROVIDE EXPANSION JOINTS IN BRICKWORK PER THE BRICK INDUSTRY ASSOCIATION TECH-NOTES T2N16A. EXPANSION JOINTS IN CLAY BRICKWORK SHALL BE LOCATED 30 FEET ON CENTER MAX. LOCATED AT CORNERS, OFFSETS AND AT CHANGES IN SUPPORT, MATERIAL, WALL HEIGHT OR CHANGE IN BACK-UP SYSTEM
7. ALL WINDOWS IN BRICK AND BURNISHED CMU VENEERS TO HAVE PRECAST SILLS
8. NOT USED
9. FOR VERTICAL JOINTS OF DIS-SIMILAR MATERIALS VERIFY WITH ARCHITECT
10. COMPLY WITH FLASHING DETAILS ON SHEETS A840 AND A841 FOR ROOF DETAILS
11. ALL ACCENT BANDS THAT OCCUR ON THE FACE OF A BAY RETURN BACK TO THE MAIN BODY OF THE BUILDING UNO
12. NOT USED
13. ALL OUTSIDE CORNERS AT CFB SIDING SHALL RECEIVE EXTRUDED ALUMINUM MITERED VERTICAL REVEAL
14. CAST STONE SILL TO OCCUR AT ALL CMUBRICK TO SIDING TRANSITIONS
15. JOINTS OF ALL STONE SILLS SHALL BE RAKED AND FILLED W/ COLOR MATCHED SEALANT
16. WHERE CMU FOUNDATION (OR VENEER) IS EXPOSED ABOVE GRADE, IT SHALL BE COLORED ARCHITECTURAL CMU. COLOR TO BE SELECTED BY ARCHITECT
17. VERIFY LOCATIONS OF LAMBS TONGUES WITH ARCHITECT

EXTERIOR MATERIALS TAG KEY

- (4.2) BURNISHED ARCHITECTURAL CONCRETE - GLACIAL WHITE
- (4.3) SOLID CMU SILL - COLOR: TBD
- (4.4) CAST STONE LINTEL - COLOR: TBD
- (4.5) CAST STONE BANDING - COLOR: TBD
- (5.1) ALUMINUM BALCONY & RAILINGS - COLOR: TBD
- (5.2) UTILITY BRICK - BLACK HILLS VELOUR SMOOTH
- (5.3) CFB LAP SIDING - SW7641 COLLONADE GRAY
- (5.5) PREFINISHED METAL COPING - COLOR: TBD
- (5.6) VERTICAL METAL CLADDING - FIRESTONE UC501 - SLATE GRAY
- (5.7) HORIZONTAL METAL CLADDING - FIRESTONE UC500 - EXTRA DARK BRONZE
- (5.8) HORIZONTAL METAL CLADDING - FIRESTONE UC500 - STONE WHITE
- (5.9) STUCCO - SWISS MOCHA
- (7.2) TRIM - COLOR: TBD
- (8.1) GLAZING - COLOR: TBD
- (8.2) MAGIC PAK GRILL - COLOR: TBD
- (8.3) PTAC GRILL - COLOR: TBD
- (26.1) EXTERIOR LIGHTING - COLOR: BLACK

PROVIDE DRY SPRINKLER HEADS AT COMBUSTIBLE BALCONIES. NON-COMBUSTIBLE BALCONIES DO NOT REQUIRE SPRINKLERS PER 8.16.7.2 OF NFPA 13



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kraswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W. River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5601 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.



LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.

Exterior
Elevations
As indicated
A500



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kraswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5501 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

Link Wilson
LINK WILSON REG. NO. 21629

Date








Revision

Rev. No.

Exterior
Elevations

As indicated

A501



EXTERIOR ELEVATION NOTES

1. SEE DRAWING SHEET A830 FOR WINDOW HEAD, JAMB AND SILL DETAILS.
2. SEE SHEETS A810-A841 FOR EXTERIOR WALL DETAILS.
3. ALL DIMENSIONS AT EXTERIOR WALLS ARE TAKEN TO EXTERIOR FACE OF MASONRY AT CMU WALLS OR CENTER OF STUD AT FRAMED WALLS UNLESS NOTED OTHERWISE.
4. SEE SHEETS A811 FOR INTERIOR AND EXTERIOR WALL TYPES.
5. PROVIDE CONTROL JOINTS IN CONCRETE MASONRY WALLS EVERY 30'-0" (REGARDLESS IF SHOWN ON ELEVATION OR NOT SHOWN ON ELEVATION).
6. PROVIDE EXPANSION JOINTS IN BRICKWORK PER THE BRICK INDUSTRY ASSOCIATION TECH NOTES T201A. EXPANSION JOINTS IN CLAY BRICKWORK SHALL BE LOCATED 20 FEET ON CENTER MAX. LOCATED AT CORNERS, OFFSETS AND AT CHANGES IN SUPPORT. MATERIAL, WALL HEIGHT OR CHANGE IN BACKUP SYSTEM.
7. ALL WINDOWS IN BRICK AND BURNISHED CMU VENEERS TO HAVE PRECAST SILLS.
8. NOT USED.
9. FOR VERTICAL JOINTS OF DIS-SIMILAR MATERIALS VERIFY WITH ARCHITECT.
10. COMPLY WITH FLASHING DETAILS ON SHEETS A840 AND A841 FOR ROOF DETAILS.
11. ALL ACCENT BANDS THAT OCCUR ON THE FACE OF A BAY RETURN BACK TO THE MAIN BODY OF THE BUILDING U.N.O.
12. NOT USED.
13. ALL OUTSIDE CORNERS AT CFB SIDING SHALL RECEIVE EXTRUDED ALUMINUM MITERED VERTICAL REVEAL.
14. CAST STONE SILL TO OCCUR AT ALL CMU/BRICK TO SIDING TRANSITIONS.
15. JOINTS OF ALL STONE SILLS SHALL BE RAKED AND FILLED W/ COLOR MATCHED SEALANT.
16. WHERE CMU FOUNDATION (OR VENEER) IS EXPOSED ABOVE GRADE, IT SHALL BE COLORED ARCHITECTURAL CMU COLOR TO BE SELECTED BY ARCHITECT.
17. VERIFY LOCATIONS OF LAMBS TONGUES WITH ARCHITECT.

EXTERIOR MATERIALS TAG KEY

- (42) BURNISHED ARCHITECTURAL CONCRETE - GLACIAL WHITE
- (43) SOLID CMU SILL - COLOR: TBD
- (44) CAST STONE LINTEL - COLOR: TBD
- (45) CAST STONE BANDING - COLOR: TBD
- (51) ALUMINUM BALCONY & RAILINGS - COLOR: TBD
- (52) UTILITY BRICK - BLACK HILLS VELOUR SMOOTH
- (53) CFB LAP SIDING - SW7641 COLLONADE GRAY
- (55) PREFINISHED METAL COPING - COLOR: TBD
- (56) VERTICAL METAL CLADDING - FIRESTONE UC501 - SLATE GRAY
- (57) HORIZONTAL METAL CLADDING - FIRESTONE UC500 - EXTRA DARK BRONZE
- (58) HORIZONTAL METAL CLADDING - FIRESTONE UC500 - STONE WHITE
- (59) STUCCO - SWISS MOCHA
- (72) TRIM - COLOR: TBD
- (81) GLAZING - COLOR: TBD
- (82) MAGIC PAK GRILL - COLOR: TBD
- (83) PTAC GRILL - COLOR: TBD
- (86.1) EXTERIOR LIGHTING - COLOR: BLACK

PROVIDE DRY SPRINKLER HEADS AT COMBUSTIBLE BALCONIES. NON-COMBUSTIBLE BALCONIES DO NOT REQUIRE SPRINKLERS PER 6.16.12 OF NFPA 13.



1301 American Blvd E.
Suite 100
Bloomington, MN 55425
tel: (612) 879-6000
fax: (612) 879-6666
www.kraswilson.com

Civil/Landscape:
Civil Site Group
4931 W. 35 St. Suite 200
St. Louis Park, MN 55416
P: (612) 615-0060

Structural Engineer:
BKBM Engineers
6120 Earle Brown Drive, Suite
700
Minneapolis, MN 55430
P: (612) 843-0420

Interior Designer:
Henrik and Co
1101 W River Pkwy, Suite
403
Minneapolis, MN 55415

MEP:
Design/Build

Project:
THE POINTE BLOOMINGTON
5901 American Boulevard W., Bloomington, MN 55437

Owner:
UNITED PROPERTIES
651 Nicollet Mall Suite 450 Minneapolis, MN 55402

Project Number 19022

Date 03-20-20 - PERMIT SET

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED UNDER MY DIRECT SUPERVISION AND THAT I AM A REGISTERED ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

LINK WILSON REG. NO. 21629

Date

Revision

Rev. No.

Exterior Elevations

As indicated

A502