


Case 8300A-11

[illegible]

- 1) Code requires post install inspection.
Call 952-563-8920 to schedule.
- 2) No change in fixture allowed without
a revised plan review and approval.

Case 8300A-11





Exterior Lighting Compliance Certificate

Project Information

Energy Code: 2012 IECC
Project Title: Countryside Shopping Center
Project Type: Alteration
Permit No. TBD
Exterior Lighting Zone: 4 (High activity metropolitan commercial district)

Construction Site:
7700 W Old Shakopee Rd
Bloomington, MN 55438

Owner/Agent:
Kevin Hoffman
Hoffman Development
13795 Frontier Court
Suite 200
Burnsville, MN 55337

Designer/Contractor:
Collin Poetting
Budget Lighting Inc.
15275 Minnetonka blvd
Minnetonka, MN 55345
952 939 1733
collin.poetting@gmail.com

Allowed Exterior Lighting Power

A Area/Surface Category	B Quantity	C Allowed Watts / Unit	D Tradable Wattage	E Allowed Watts (B X C)
Parking Lot (Parking area)	83712 ft2	0.13	Yes	10883
		Total Tradable Watts (a)		10883
		Total Allowed Watts =		10883
		Total Allowed Supplemental Watts (b) =		1300

(a) Wattage tradeoffs are only allowed between tradable areas/surfaces.

(b) A supplemental allowance equal to 1300 watts may be applied toward compliance of both non-tradable and tradable areas/surfaces.

Proposed Exterior Lighting Power

A Fixture ID : Description / Lamp / Wattage Per Lamp / Ballast	B Lamps/ Fixture	C # of Fixtures	D Fixture Watt.	E (C X D)
Parking Lot (Parking area 83712 ft2): Tradable Wattage				
LED 1: DSX2: Lithonia LED Lot Light: Other:	1	18	277	4986
LED 2: DSX2: Lithonia LED Wallpack: Other:	1	2	183	366
LED 3: CSXW: Lithonia Wallpack: Other:	1	5	69	345
LED 4: can: led/rt8/2000/840: LED Other Fixture Unit 25W:	1	4	24	96
	Total Tradable Proposed Watts =			5793

Exterior Lighting PASSES: Design 52% better than code

Exterior Lighting Compliance Statement

Compliance Statement: The proposed exterior lighting alteration project represented in this document is consistent with the building plans, specifications, and other calculations submitted with this permit application. The proposed exterior lighting systems have been designed to meet the 2012 IECC requirements in COMcheck Version 4.0.2.0 and to comply with the mandatory requirements listed in the Inspection Checklist.

Name - Title

Signature

Date

08300A-79

Revised

Plan No.

Date

Designer

4/10/85

85-05

4/10/85

C. Kuntz

Scale

1"=50'-0"

Landscape Plan for:

BLOOMINGTON FERRY CONVENIENCE CENTER

BLOOMINGTON, MINNESOTA

Minnesota Tree, Inc.


Landscape Design/Contracting

1000 West 111th Street

Minneapolis, MN 55426

RECEIVED
DIVISION OF CITY ENGINEERING
SEP 3 1985
CITY OF BLOOMINGTON
MINNESOTA

PL202400061
PL2024-61



BLOOMINGTON FERRY ROAD


PLANT SCHEDULE

KEY QNT.	COMMON NAME	BOTANICAL NAME	SIZE
1	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
2	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
3	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
4	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
5	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
6	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
7	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
8	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
9	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
10	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
11	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
12	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
13	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
14	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
15	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
16	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
17	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
18	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
19	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
20	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
21	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
22	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
23	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
24	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
25	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
26	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
27	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
28	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
29	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
30	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
31	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
32	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
33	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
34	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
35	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
36	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
37	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
38	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
39	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
40	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
41	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
42	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
43	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
44	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
45	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
46	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
47	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
48	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
49	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
50	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
51	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
52	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
53	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
54	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
55	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
56	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
57	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
58	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
59	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
60	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
61	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
62	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
63	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
64	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
65	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
66	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
67	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
68	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
69	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
70	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
71	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
72	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
73	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
74	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
75	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
76	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
77	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
78	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
79	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
80	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
81	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
82	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
83	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
84	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
85	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
86	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
87	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
88	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
89	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
90	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
91	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
92	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
93	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
94	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
95	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
96	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
97	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
98	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
99	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB
100	SHADE TOLERANT, HOBOBLOOM	GLADIOLUS TRIANGULARIS	24" DB

GENERAL NOTES:

1. ALL PLANT SPECIES MUST HAVE 3" DEPTH OF MULCH-VOLE FILL.
MULCH WITH 6" MULCH BACK FILL, SIDE OF ROAD - 1/2" - 1/2"
2. ALL PLANTS IN THE PARKING LOT TO BE PLANTED WITHIN 10' OF THE
MULCH WITH 6" MULCH BACK FILL, SIDE OF ROAD - 1/2" - 1/2"
3. ALL PLANTS PLANTED FOR BOUNDARY OF LOT AREA TO BE PLANTED WITHIN 10' OF THE
MULCH WITH 6" MULCH BACK FILL, SIDE OF ROAD - 1/2" - 1/2"
4. ALL PLANT MATERIAL SHALL BE GUARANTEED FOR A PERIOD OF ONE YEAR
FROM THE DATE OF INSTALLATION. PLANTER SHOWN SURVIVE PROPER MAINTENANCE.
WHICH IS NOTED.





08300A-79

ROUGH GRADING NORTH
SCALE: 1" = 30'-0"

NOTE: UTILITIES, PLANS & ELEVATIONS TO BE SUBMITTED AT A LATER DATE BASED UPON SUBMITTAL OF ROUGH GRADING PLAN & SPECIFICATIONS

DEMOTES SOIL BORINGS