

SITE DATA

CURRENT ZONING: I-3 GENERAL INDUSTRY DISTRICT
 PROPOSED ZONING: I-3 GENERAL INDUSTRY DISTRICT

PROPERTY AREA (GROSS): 2.12 ± AC
 BUILDABLE PROPERTY AREA (NET): 1.49 ± AC

DISTURBED AREA: 2.438 ± AC
 EXISTING IMPERVIOUS AREA: 1.918 ± AC (78.7%)*
 PROPOSED IMPERVIOUS AREA: 1.352 ± AC (55.5%)*

*IMPERVIOUS AREAS BASED ON DISTURBED AREA ONLY

DEVELOPMENT AND DESIGN STANDARDS

YARD (BUILDING) SETBACKS:
 FRONT 30 FT MINIMUM
 SIDE 25 FT MINIMUM
 REAR 10 FT MINIMUM

OFF-STREET PARKING SETBACKS:
 FRONT 20 FT MINIMUM
 SIDE 5 FT MINIMUM
 REAR 5 FT MINIMUM

LEGEND

- PROPOSED**
- CATCH BASIN
 - STORM MANHOLE
 - FLARED END SECTION
 - SANITARY MANHOLE
 - HYDRANT
 - GATE VALVE
 - POST INDICATOR VALVE
 - WATER MANHOLE / WELL
 - LIGHT POLE
 - POWER POLE
 - ELECTRIC METER
 - GAS METER
 - TELEPHONE PEDESTAL
 - SIGN
 - BENCHMARK
 - SOIL BORING
 - PARKING STALL COUNT
 - ACCESSIBLE PARKING STALL
 - STORM SEWER
 - DRAIN TILE
 - SANITARY SEWER
 - FORCE MAIN
 - WATER MAIN
 - SANITARY SEWER SERVICE
 - WATER SERVICE
 - UNDERGROUND ELECTRIC
 - UNDERGROUND FIBER OPTIC
 - UNDERGROUND GAS
 - UNDERGROUND TELEPHONE
 - OVERHEAD UTILITY
 - FENCE
 - CHAIN LINK FENCE
 - CONCRETE CURB
 - RETAINING WALL
 - CONCRETE
 - NO PARKING
 - BUILDING
 - CONTOUR
 - SPOT ELEVATION
 - DIRECTION OF FLOW
 - TREE LINE
 - PARKING SETBACK LINE
 - BUILDING SETBACK LINE



710 South 2nd Street, 8th Floor
 Minneapolis, MN 55401
 phone: (612) 746-4260
 www.jlgarchitects.com
 copyright © 2025



REVISIONS

NO.	DESCRIPTION	DATE

Michael J. St. Martin - PE
 License No. 24440
 Date
 Loucks Project No. 19815.0A
 Project Lead MJS
 Drawn By SLP
 Checked By MJS
 Review Date

GENERAL NOTES

- MINNESOTA STATE STATUTE REQUIRES NOTIFICATION PER "GOPHER STATE ONE CALL" PRIOR TO COMMENCING ANY GRADING, EXCAVATION OR UNDERGROUND WORK.
- THE CONTRACTOR SHALL FIELD VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES AND TOPOGRAPHIC FEATURES PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITY. THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES OR VARIATIONS FROM THE PLANS.
- THE CONTRACTOR SHALL TAKE ALL PRECAUTIONS NECESSARY TO AVOID PROPERTY DAMAGE TO ADJACENT PROPERTIES DURING THE CONSTRUCTION PHASE OF THIS PROJECT. THE CONTRACTOR WILL BE HELD RESPONSIBLE FOR ANY DAMAGES TO ADJACENT PROPERTIES OCCURRING DURING THE CONSTRUCTION PHASE OF THIS PROJECT.
- THE CONTRACTOR WILL BE RESPONSIBLE FOR PROVIDING AND MAINTAINING TRAFFIC CONTROL DEVICES SUCH AS BARRICADES, WARNING SIGNS, DIRECTIONAL SIGNS, FLAGMEN AND LIGHTS TO CONTROL THE MOVEMENT OF TRAFFIC WHERE NECESSARY. PLACEMENT OF THESE DEVICES SHALL BE APPROVED BY THE ENGINEER PRIOR TO PLACEMENT. TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE APPROPRIATE MINNESOTA DEPARTMENT OF TRANSPORTATION STANDARDS.
- IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS ON THE JOB SITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING THE PERFORMANCE OF THE WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.
- THE DUTY OF THE ENGINEER OR THE DEVELOPER TO CONDUCT CONSTRUCTION REVIEW OF THE CONTRACTORS PERFORMANCE IS NOT INTENDED TO INCLUDE REVIEW OF THE ADEQUACY OF THE CONTRACTORS SAFETY MEASURES IN, OR NEAR THE CONSTRUCTION SITE.
- BEFORE BEGINNING CONSTRUCTION THE CONTRACTOR SHALL INSTALL EROSION AND SEDIMENTATION CONTROL MEASURES IN ACCORDANCE WITH NPDES PERMIT REQUIREMENTS, BEST MANAGEMENT PRACTICES, STATE AND LOCAL REQUIREMENTS AND THE DETAILS SHOWN ON THE DETAIL SHEET(S) OF THE PROJECT PLANS.
- ALL CONSTRUCTION PERMITS, APPLICATIONS AND FEES ARE THE RESPONSIBILITY OF THE CONTRACTOR.
- ALL ENTRANCES AND CONNECTIONS TO CITY STREETS SHALL BE CONSTRUCTED PER THE REQUIREMENTS OF THE STATE AND LOCAL JURISDICTIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PERMITS AND NOTIFICATIONS AS REQUIRED.
- ALL STREET REPAIRS AND PATCHING SHALL BE PERFORMED PER THE REQUIREMENTS OF THE CITY. ALL TRAFFIC CONTROL SHALL BE PROVIDED BY THE CONTRACTOR, INCLUDING SIDEWALK CLOSURE SIGNAGE, AND SHALL BE ESTABLISHED PER THE REQUIREMENTS OF THE MINNESOTA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND THE CITY. THIS SHALL INCLUDE ALL SIGNAGE, BARRICADES, FLASHERS AND FLAGGERS AS NEEDED. ALL PUBLIC STREETS SHALL BE OPEN TO TRAFFIC AT ALL TIMES.
- ADJUST ALL EXISTING STRUCTURES, BOTH PUBLIC AND PRIVATE TO THE PROPOSED GRADES WHERE DISTURBED AND COMPLY WITH ALL REQUIREMENTS OF THE UTILITY OWNERS. STRUCTURES BEING RESET TO PAVED AREAS MUST MEET OWNERS REQUIREMENTS FOR TRAFFIC LOADING.
- SUBGRADE PREPARATION SHALL BE PERFORMED IN ACCORDANCE WITH MNDOT 2112. THE TOP 3 FEET SHALL BE COMPACTED TO 100% OF THE STANDARD PROCTOR DENSITY.
- AGGREGATE BASE SHALL BE MNDOT 2211 CLASS 5. COMPACTION SHALL BE BY THE QUALITY COMPACTION METHOD.
- PLANT MIXED BITUMINOUS PAVEMENT SHALL BE CONSTRUCTED IN ACCORDANCE WITH MNDOT 2360 WITH MIX DESIGN AS SHOWN ON THE DETAILS. COMPACTION SHALL BE BY THE ORDINARY COMPACTION METHOD.
- CONCRETE CURB & GUTTER SHALL BE PERFORMED IN ACCORDANCE WITH MNDOT 2531. CURING SHALL BE BY THE MEMBRANE CURING METHOD. EXPANSION JOINTS EVERY 200 FEET AT ALL FIXED OBJECTS. CONTRACTION JOINTS EVERY 10 FEET.
- CONCRETE WALK SHALL BE PERFORMED IN ACCORDANCE WITH MNDOT 2521. CURING SHALL BE BY THE MEMBRANE CURING METHOD. EXPANSION JOINTS AT ALL FIVES OBJECTS. CONTRACTION JOINTS EVERY 5 FEET.
- WORKING HOURS ARE 7 AM - 7 PM (MONDAY - FRIDAY) AND 9 AM - 7 PM (SATURDAY.) A 48 HOUR NOTICE IS REQUIRED FOR SATURDAY WORK.
- THE CONTRACTOR MUST HAVE A CITY LICENSE.
- A CITY RIGHT-OF-WAY PERMIT IS REQUIRED TO WORK WITHIN CITY ROW.
- A COUNTY RIGHT-OF-WAY PERMIT IS REQUIRED TO WORK WITHIN COUNTY ROW.
- ALL CONSTRUCTION AND POST-CONSTRUCTION PARKING AND STORAGE OF EQUIPMENT AND MATERIALS MUST BE ON-SITE. USE OF PUBLIC STREETS FOR PRIVATE CONSTRUCTION PARKING, LOADING/UNLOADING, AND STORAGE WILL NOT BE ALLOWED.

SITE NOTES

- ALL PAVING, CONCRETE CURB, GUTTER AND SIDEWALK SHALL BE FURNISHED AND INSTALLED IN ACCORDANCE WITH THE DETAILS SHOWN PER THE DETAIL SHEET(S) AND APPLICABLE GOVERNING AGENCY REQUIREMENTS.
- ACCESSIBLE PARKING AND ACCESSIBLE ROUTES SHALL BE PROVIDED PER CURRENT ADA STANDARDS AND APPLICABLE GOVERNING AGENCY REQUIREMENTS.
- ALL CURB DIMENSIONS SHOWN ARE TO THE FACE OF CURB UNLESS OTHERWISE NOTED.
- ALL BUILDING DIMENSIONS ARE TO THE OUTSIDE FACE OF WALL UNLESS OTHERWISE NOTED.
- BITUMINOUS IMPREGNATED FIBER BOARD TO BE PLACED AT FULL DEPTH OF CONCRETE ADJACENT TO EXISTING STRUCTURES AND BEHIND CURB ADJACENT TO DRIVEWAYS AND SIDEWALKS.
- SEE SITE ELECTRICAL PLAN FOR SITE LIGHTING.
- REFER TO THE GEOTECHNICAL REPORT FOR AN EXISTING SUBSURFACE SITE CONDITION ANALYSIS AND CONSTRUCTION RECOMMENDATIONS INCLUDING BUT NOT LIMITED TO PAVEMENTS AND EXTERIOR SLABS.



CALL BEFORE YOU DIG!
Gopher State One Call
 TWIN CITY AREA: 651-454-0002
 TOLL FREE: 1-800-252-1166

WARNING:

THE CONTRACTOR SHALL BE RESPONSIBLE FOR CALLING FOR LOCATIONS OF ALL EXISTING UTILITIES. THEY SHALL COOPERATE WITH ALL UTILITY COMPANIES IN MAINTAINING THEIR SERVICE AND / OR RELOCATION OF LINES.

THE CONTRACTOR SHALL CONTACT GOPHER STATE ONE CALL AT 651-454-0002 AT LEAST 48 HOURS IN ADVANCE FOR THE LOCATIONS OF ALL UNDERGROUND WIRES, CABLES, CONDUITS, PIPES, MANHOLES, VALVES OR OTHER BURIED STRUCTURES BEFORE DIGGING. THE CONTRACTOR SHALL REPAIR OR REPLACE THE ABOVE WHEN DAMAGED DURING CONSTRUCTION AT NO COST TO THE OWNER.

PAVEMENT TYPES

	CONCRETE SIDEWALK
	CONCRETE PAVEMENT
	STANDARD BITUMINOUS PAVEMENT
	HEAVY DUTY BITUMINOUS PAVEMENT

NOTE: SEE PAVEMENT SECTIONS ON DETAIL SHEETS C8-1 & C8-3 FOR TYPE AND DEPTH INFORMATION.


CURB TYPES

	B612 CURB & GUTTER (STANDARD)
	B612 CURB & GUTTER (TIP OUT)
	FLAT CURB & GUTTER (STANDARD)
	FLAT CURB & GUTTER (TIP OUT)
	SURMOUNTABLE CURB & GUTTER (STANDARD)
	SURMOUNTABLE CURB & GUTTER (TIP OUT)

NOTE: SEE CURB & GUTTER DETAILS ON SHEET C8-1 & C8-3

EXHIBIT B

NOTE: EXISTING CONDITIONS INFORMATION SHOWN IS FROM A SURVEY PREPARED BY W. BROWN LAND SURVEYING, INC., DATED 10/03/2025.



PRELIMINARY NOT FOR CONSTRUCTION
 CITY OF BLOOMINGTON
SALT SHED AND BRINE BUILDING
 BLOOMINGTON, MN

DATE
01/13/2026
 PHASE
PLANNING COMMISSION
 PROJECT
22263.01
 SHEET

C2-1
 SITE PLAN